

The Mining And Metallurgical Journal

VOL. XXI. No. 9

LOS ANGELES, CAL.,

August 1, 1899,

NEW YORK, N. Y.

Price 15 Cents

ASSAYER and CHEMIST

Mark samples plainly, advise by letter of full details, with charges enclosed. Postage on ore one cent per ounce.

C. H. VOLL,

34 Roxwell Bldg.

SEATTLE, WASHINGTON

Oiled and Paraffined Canvas Covering for Machinery, etc.

Tents and Canvas Sheeting

JOHN HARRISON,

167 South Street, - - - New York

PATENTS!

TOWNSEND BROTHERS SOLICITORS OF PATENTS

Patents on Inventions secured in all countries. Copyrights, Trade Marks and Labels.

Office, 331 Potomac Block Telephone 347. Los Angeles, Cal

The Edward P. Allis Company

MILWAUKEE, WISCONSIN

SEE PAGE 23

A. H. HANDLAN, President and Manager

E. W. HANDLAN, Secretary and Treasurer

M. M. BUCK MFG. CO.

Railway and Contractors Supplies

Machine Tools, Heavy Hardware and Metals; Mine, Mill, Smelter and Foundry Supplies; Manufacturers of Locomotive Head Lights; Train and Station Signal Lights, Lanterns, Oil Filters, Lubricators, Injectors, &c.

921 North 3d Street,

St. Louis, Mo.

THE ROESSLER & HASSLACHER Chemical Co.

100 William St., New York

CYANIDE

Peroxide of Sodium

Hyposulphite of Soda

Chloride of Lime

Sulphide of Iron

And Other Chemicals for Mining Purposes.



Joseph Dixon Crucible Co.

MINERS, IMPORTERS AND MANUFACTURERS

GRAPHITE & PLUMBAGO

JERSEY CITY, N. J.

RETORTS, CRUCIBLES, GRAPHITE LUBRICANTS, BELT DRESSING, GRAPHITE PAINTS, LEAD PENCILS, AND GRAPHITE PRODUCTS OF ALL KINDS.

Send for Production Catalogue.

Graphite Makes the Best Lubricant and Best Paint.

ADAMANTINE SHOES & DIES

AND

CHROME CAST STEEL

Cams, Tappets, Bosses, Roll Shells and Crusher Plates.

These castings are extensively used in all the Mining States and Territories of North and South America. Guaranteed to prove better and cheaper than any others. Orders solicited subject to above conditions. When ordering send sketch with exact dimensions. Send for Illustrated Circular.

CHROME STEEL WORKS,

Kent Ave. & Keap St., - BROOKLYN, N. Y.



Stamp Shoes Stamp Dies

The Pelton Water Wheel

Affords the Most Economical and Reliable Power for Mining, Electric and all other purposes.

9000 WHEELS NOW RUNNING

PELTON WATER WHEEL CO., 121 Main St., San Francisco, Cal.

Mexican, American and Foreign Patents, TRADEMARKS, ETC.

Reports on Mining and Other Properties. Proprietors of Weekly Anglo-American, a first-class Advertising Medium. Established 9 Years.

C. H. M. y Agramonte,

P. O. Box 388. Cable Address, "Agra" CITY OF MEXICO, MEXICO



WE are acting as Purchasing Agents for more than thirty mining companies. We desire to make contracts with others to act for them as their Purchasing Agents in this market. Give us an opportunity to send you information and references. We can save you money. Do you wish to receive our Market Letters, giving prices of machinery and supplies, condition of the market, probable change, etc?

1543 Marquette Building


Chicago, Illinois

PARKE & LACY COMPANY

21 and 23 FREMONT STREET, SAN FRANCISCO, CAL.

LICENSEE FOR THE MANUFACTURE AND SALE OF

The Huntington Centrifugal Roller Quartz Mill



THE HUNTINGTON MILL is so well and favorably known among mining men throughout the world that any description of it would seem superfluous. They are in use in the United States, Canada, Mexico, Central and South America, Australia, China, Japan, and South Africa. In fact, wherever mines exist, and have given the best satisfaction of all quartz crushing mills.

The Construction of this mill has lately been much improved and we claim it to be the CHEAPEST, MOST EFFICIENT, SIMPLEST, AND MOST DURABLE MILL UPON THE MARKET.

Agents for Knowles' Pumps and Pulsometer Pumps

CATALOGUE UPON APPLICATION

Los Angeles, Cal. Office, 306 Byrne Building, W. H. Miller, Representative



JOHN STEWART MINING ENGINEER


Address:—Mining and Metallurgical Journal LOS ANGELES, CAL.

Examiner and Reports on Mineral Properties Assessment Work Performed for Non-Residents

RAINBOW BELTING

A RED RUBBER BELTING, made from the celebrated Rainbow composition, which is peculiarly adapted for Dry Climates, is not affected by Dampness and especially designed for heavy service. Every belt tested before leaving factory.

500,000 Feet Sold During 1889
Not a single Belt Returned



Also try the well known "Peerless" Brands. Air Drill, Steam, Water, Suction, Fire Hose. Rainbow Sheet Packing. Peerless Piston Packing. Honest John Packing. Hercules Metallic Stop Valve Packing.

PATENTED AND MANUFACTURED
EXCLUSIVELY BY

The Peerless Rubber Mfg. Co., 16 WARREN STREET, NEW YORK

16-24 Woodward Avenue, Detroit, Mich. 202-210 S. Water Street, Chicago, Ill.
Dunham, Carrigan & Hayden Co., San Francisco, Cal.

California Vigorit Powder Co.


Manufacturers of

Dynamite High Explosives and "Vigorit Low" Blasting Powder

OFFICE: 208 California Street,
San Francisco, Cal.

WORKS: Point Isabel,
Contra Costa Co. Cal.

"Union"
Hoist




THIS cut shows the 10 H.P. "Union" Hoist which lifts One Ton 125 ft per Minute. Works down 500 feet.

Double Cylinder Vertical Engine and Hoist Combined. Perfectly governed for economy and steadiness. Can be started instantly. Compact. Strong. Simple. Efficient. Economical. Many in use all over the coast. Sizes from 4 H.P. to 50 H.P. Send for catalogue stating size and work.

Union Gas Engine Co.,

301 Howard Street, - - - San Francisco, Cal.

The only Genuine ALBANY GREASE has this TRADE MARK on every package. Look out for Yellow Label.



MANUFACTURERS OF
Albany Dynamo & Albany Cylinder Oils
If you are not using these Oils give them a trial at once, and we know the result. You will want no other

ALBANY GREASE

Lubricates Everything
Especially Adapted to Mining and Milling Machinery.

—MADE ONLY BY—
ADAM COOK'S SONS,
313 WEST ST., NEW YORK.

BRANCHES:
TATUM & BOWEN,
34 Fremont Street, San Francisco, Cal.
42-49 First St., Portland, Oregon.
55 South Canal Street, Chicago, Illinois.

THOMPSON & BOYLE CO.

(Incorporated)

MANUFACTURERS OF

T. & B. **STEEL MINING PIPE**

Cyanide Tanks, Water Tanks, Air Pipe,
Hydraulic Mining Material

310-314 Requesa St.,

Los Angeles, Cal.

WILLIAM H. EMANUEL,

REPRESENTING

RAND DRILL COMPANY, Air Drills and Compressors
THE EDW P. ALLIS CO., General Mining, Milling and Smelting
TRENTON IRON CO., Machinery and Reynolds Corliss Engine
HENRY R. WORTHINGTON, Wire Rope and Bleichert Tramways
General Service and Mining Pumps
ROBIN'S BELT CONVEYOR

DENVER

COLORADO

The Baker & Adamson Chemical Co.

MANUFACTURERS OF

Strictly Chemically Pure Acids and
Chemicals and Ashless Filter
Papers

EASTON,

PENNSYLVANIA

FOURTH EDITION

Large 8vo., cloth, 700 pages and Numerous
Plates, \$5.00

METALLURGY OF GOLD

A PRACTICAL TREATISE ON

The Metallurgical Treatment of Gold-Bearing Ores
INCLUDING THE
Process of Concentration and Chlorination, and
the Assaying, Melting, and Refining
of Gold.

BY M. EISSLER,

Fourth Edition, Revised and Enlarged to 700
pages, with 25 Additional Plates, and Working
Drawings and Chapters on Recent Milling Operations in the Transvaal. 8vo., Cloth, Price \$5.00.

D. VAN NOSTRAND COMPANY, Publishers
23 Murray and 27 Warren Sts., New York
Copies sent by mail on receipt of Price

Cream of the Trade



THE JOURNAL'S advertising pages represent the cream of the trade, and nearly everything needed by miners, millmen and smelters can be found in them; in fact they constitute the best directory published in the West of mining machinery manufacturers.


Hoskins' Patent Hydro-Carbon

**Blow-Pipe and
Assay Furnaces**

No dust. No ashes. Cheap, effective, economical, portable and automatic. Send for Price-list to

WM. HOSKINS,

81 South Clark St., Room 57
CHICAGO, ILL.



ALPHABETICAL INDEX TO ADVERTISERS

A		E		L		S	
Abbott, W. O.	6	Himer & Amend	4	Lambert Hoisting Engine Co.	22	Santa Fe Route	30
Agramonte, C. H. M.	1	Emanuel, Wm. H.	2	Leffel & Co., James	28	S. P. Pioneer Screen Works	29
Ainsworth, Wm.	24	Enterprise Machine Works	30	Lehigh University	3	Savage, Wm. H.	3
Atchison Perforated Metal Co., The Robert	29	El Paso Assay Office	29	Lewox, Theo.	28	Schoellkopf, Hartford and MacLagen	31
Albuquerque Foundry & Machine Works	27	Eynon-Evans Manufacturing Co.	26	Lidgerwood Manufacturing Co.	5	Shaw, Willis	5
Allis Co., Edward P.	1			Link Belt Machinery Co.	5	Shultz Belting Co.	1
Altender & Sons, Theo.	23			Little Alaska Gold Washer	30	Selby Smelting & Lead Co.	27
American Diamond Rock Drill Co.	25					Smith, S. J.	6
American Injector Co.	4					Smith & Co., Francis	29
Aubury, L. R.	6					Smith & Thompson	25
B		F		M		T	
Bally & Mounig	27	Pay & Egan Co., J. A.	24	Macbeth & Co., James	24	Tatum & Bowen	6
Baker & Adamson Chemical Co.	2	Perrari, Guido	28	Machinery and Electrical Co.	29	Taylor & Co., John	27
Baker & Co.	3	Fossil Meal Co.	29	Malt Dry Gold Saver	4	Taylor Iron and Steel Co.	24
Baker C. J.	25	Fowler, G. C.	29	Manasse Co., L.	4	Temple Machine Co.	24
Baker Iron Works	32	Pulton Engine Works	31	Mathison & Co.	4	Thomson & Boyle	2
Beckley & Co., A. J.	28	Fraser & Chalmers	32	McCooy J. W.	4	Townsend Bros.	2
Bell, Newton M.	6	Frese, Adolf	21	Montgomery Machinery Co., J. H.	24	Tremaine & Froehlich	3
Berger & Sons, C. L.	30	Frue Vanning Machine Co.	30	Morgan-Watson Mining & Construction Co.	20	Trenton Iron Co., The	6
Bi Metallic Assay Office	25			Moore & Co. Chas C.	4	Troemner, Henry	24
Bickford Drill Co.	30			Mould & Co., Henry S.	6	Truax Manufacturing Co.	30
Biblin, Chas. T. & Co.	30						
Borden, Gall.	1						
Bradley-Ramsey Lumber Co.	42						
Brandis & Son, F. E.	4						
Brown Horace F., M. E.	31						
Brownell, James S.	30						
Buck Manufacturing Co., M. M.	31						
Bullock Mfg Co., M. C.	31						
Burlingame, E. R.	27						
C		G		N		U	
California Perforating Screen Co.	25	Carratt & Co., W. T.	19	National Association of Stationary Engineers	19	Union Gas Engine Co.	2
California Anti-Caloric Co.	3	Gaslight & Coke Co.	31	National Iron Works	31		
California Vignit Powder Co.	19	Godfrey, A. G.	4	National Pipe Bending Co.	26		
Chambers Sec'y, J. C.	19	Gold & Silver Extraction Co. of America Ltd	6	New Haven Manufacturing Co.	25		
Chapman Smelting Works Co.	19	Goodsell Packing Co.	30	Nicholson, & Co.	3		
Chester Steel Castings Co.	24	Goodyear Rubber Mfg Co.	4	Norwalk Iron Works	29		
Chrome Steel Works	1	Graphic Lubricating Co.	31				
Cleveland Mining and Stock Exchange Co.	19	Hershey, Clarence	27				
Cling-Surface Manufacturing Co.	19	Hoskins, Wm.	2				
Colorado Iron Works Co.	28						
Cook's Sons, Adam	2						
Colo. and Cal. Mineral Development Co.	4						
Compania Industrial Mexicana	26						
Conway & Co., F. J.	28						
Con. Kansas City Smelting & Refining Co.	30						
Courts, Wm. M., A. M.	6						
Cummer & Sons Co., F. D.	27						
D		H		O		V	
Davis Iron Works Co., F. M.	5	Hamlin & Morrison	28	Ogden Assay Office	5	Van Der Nallen, A.	5
Denniston, E. G.	25	Harrison, John	1	Ohladi & Co., N.	28	Van Nostrand Co., D.	2
Denver Engineering Co.	23	Heckelmann and McCann	29	Oliver Powder Co.	28	Voll, C. H.	2
Denver Fire Clay Co.	27	Hercules Gas Engine	20	Oregon Railroad and Navigation Co.	25		
Denver Variety Machine Shop	24	Heudy Machine Works, Joshua	25 & 32	Oriental Gas Engine Co.	27		
Detroit Lubricator Co.	24	Henshaw, Bulkley & Co.	5, 24, 26, 27, 29				
Dietzen & Co., Eugene	4	Hercy, Clarence	27				
Dixon Crucible Co., Jos.	1	Hoskins, Wm.	2				
Donaldson, A. M.	30						
Ducommun, C.	29						
E		I		P		W	
		Incorporated Mines Paying Dividends	22	Pacific Tank Co.	25	Wade & Wade	31
		Ingersoll, Sergeant Drill Co.	21	Parke & Lacy Co.	26	Watson, R. N.	32
		Irving & Co., Jas.	20	Parke & Lacy Co.	26	Weber Gas and Gasoline Engine Co.	3
				Penn Smelting and Refining Co.	28	Weber & Co., F.	3
				Perez, R. A., E. M.	25	Weigele Pipe Works	27
				Peerless Rubber Manufacturing Co.	28	Weis & Gibson	24
				Philadelphia Book Co.	28	Western Chemical Co.	5
				Pope, J. B.	25	Western Forge & Rolling Mills	25
				Price & Son, Thos.	31	White Rogers & Co.	27
				Pulsometer Steam Pump Co.	19	Wigmore & Son, John	20
						Wilcox & Rose Co.	6
						Wonder Pump Manufacturing Co.	5
						Wood, Henry E.	6
						Woodbury Concentrator Co.	27
F		J		Q		Y	
		Jackson Drill and Manufacturing Co., The	26	Queen & Co.	29	Yawger, I. C.	5
		Jeffrey Manufacturing Co.	24	Quick, John W.	29	Young & Son	6
		Jones, E. M., F. A.	30				
G		K		R			
		Keuffel & Esser Company	5, 6	Reckhart, D. W.	25		
		Kimbark, S. D.	6	Reed, John T.	25		
		Kohlbusch, Sr. Herman	25	Ricketts & Banks	20		
				Rio Grande Western Ry.	20		
				Rossler & Hasslacher Chemical Co.	30		
				Robins Conveying Belt Co.	30		
				Russell & Co., W. A.	30		

Crude Platinum Purchased.

To Identify Crude Platinum when found, send 75c for Sample in glass, packed in a strong box. We purchase or refine anything containing Platinum.

BAKER & COMPANY,

NEW YORK OFFICE: 130 Liberty Street.

NEWARK, NEW JERSEY

Mineral Lands Wanted

In United States, Cuba, Porto Rico and Central America.

Nicholson & Co.

150 Broadway, New York.

Advertise in the

MINING & METALLURGICAL JOURNAL.

ASSAYERS AND CHEMISTS

Working tests of Ores by all processes. Samples by mail or express solicited

TREMINE & FROELICH,

132 Third St., PORTLAND, OREGON

The CALIFORNIA ANTI-CALORIC COMPANY

Steam Pipe and Boiler Covering

Manufactured under our own Patents and solely from California Products.

ANTI-CALORIC PLASTER: the best and cheapest Insulating Plaster in the Market.

Factory, Potrero. Tel. Main 5752 OFFICE: 507 Market St., San Francisco



Engineers' and Draughtsmen's Supplies

Sole agents for Kieffer's round system drawing instruments and Albert Ott's Planimeters, Planigraphs and other instruments of precision. Levels and transits of superior make.

P. WEBER & CO. PHILADELPHIA

WM. E. SAVAGE,


Land and Mining Attorney.

Will conduct causes before United States and State Courts, or U. S. Local Land Offices, in any mining State or Territory of the United States or before the U. S. General Land Office, Washington, D. C. Mining Properties and Oil Lands Bought and Sold. Office, Room 216 Douglas Building 3d and Spring LOS ANGELES, CAL. Established 1885.

Weber Gasoline Hoists

Uses Gasoline, Distillate or Kerosene

Sizes 4 to 100 H. P.



This is a 50 H. P. Double Drum Weber Gasoline Hoist now at work at Matuhula, Mexico, Hoisting out of a 1400 Shaft.

A Hoist Should be SAFE, SIMPLE, ECONOMICAL

Get a Catalogue and advise us what your requirements are

The Weber Gas and Gasoline Engine Co.

434 S. W. Boulevard, Kansas City, Missouri

CHAS. C. MOORE & CO.

ENGINEERS AND DEALERS IN

BABCOCK & WILCOX BOILERS, GREEN'S ECONOMIZERS,
McINTOSH & SEYMOUR ENGINES, WHEELER CONDENSERS,
HAMILTON CORLISS ENGINES, BARNARD-WHEELER COOLING TOWERS,
N. Y. SAFETY AUTOMATIC ENGINES, HOPPE'S LIVE STEAM PURIFIERS,
GOUBERT FEED WATER HEATERS, EDMISTON FEED WATER FILTERS,
STRATTON STEAM SEPARATORS, BUNDY STEAM TRAPS,
SNOW STEAM PUMPS, SPENCER DAMPER REGULATORS,
QUIMBY SCREW PUMPS, HYATT ROLLER BEARINGS.

Watch this Space for description of the above Machinery.

Send for Catalogue and Full Information.

32 First Street, San Francisco, Cal.



GOODYEAR'S
RUBBER GOODS

Miners and Mining

CATHERING RUBBER, Crack Proof Boots, White Rubber Coats, Oil Clothing

BELTING, PACKING AND HOSE

573, 575, 579 Market Street,
SAN FRANCISCO, CAL.

R. H. PEASE,
Vice President and General Manager.

73 and 75 First St.
PORTLAND, OREGON

Established 1872.
F. E. BRANDIS, SONS & CO.
ENGINEERING
INSTRUMENTS
FOR ALL PURPOSES.
812-814 GATES AVE., BROOKLYN, N. Y.
Catalogues mailed on application.

EUGENE DIETZGEN CO.
181 MONROE STREET, CHICAGO.
149-151 Fifth Ave., New York, N. Y.
MANUFACTURERS AND IMPORTERS OF
ENGINEERING AND
DRAWING INSTRUMENTS
of every description.
We carry Largest Stock in the West.
New 221 PAGE ILLUSTRATED
CATALOGUE sent on application



JENA Trade Mark
Normal Glass
SCHOTT & GEN.
JENA
BEST GLASS FOR Laboratory use

CHEMICALS AND
CHEMICAL APPARATUS

ASSAY BALANCES
Finest Ever Made

Specialties:—Analytical Portable Balances, Porcelainware, Platinum goods, Crucibles, Cupels, Scorifiers, Muffles, Furnaces, C. P. Acids, etc.

Everything Necessary for Assayers

Elmer & Amend,

3d Ave. Cor of 18th St. New York

MATHISON & CO.

25-27 CEDAR ST.,
NEW YORK CITY

--- ANTIMONY ---

BUY

ANTIMONY ORES AND
CRUDE ANTIMONY

* WRITE FOR FULL PARTICULARS

**The Colorado and California
Mineral Developing Company**

432-3-4 STIMSON BLOCK, LOS ANGELES, CAL.

Prospecting, Developing of Mines, Mine Operators, Locating, Buying and Selling of Mines a Specialty, Financial Agents for Eastern Capitalists.

GAIL BORDEN, President
J. A. COMER, Vice-President
J. K. HAWK, Secretary

CAPITAL STOCK, \$200,000

Correspondence Solicited

U. S. AUTOMATIC INJECTORS

Guaranteed to be the

Best and Most Economical

Injectors on the Market

Can be had of



Mitchell Staver & Lewis Co., Portland, Or.
Mitchell Staver & Lewis Co., Seattle, Wash.
Schaw-Ingram Hatcher Co., Sacramento, Cal.
Henshaw, Bulkeley & Co., San Francisco, Cal.
And of Jobbers and Dealers generally.
Catalogue Free.

American Injector Co.,

Detroit, Mich
U. S. A.



THE

MAIT DRY GOLD SAVER

was invented and patented by a man who has followed mining in California since the early 50's, and is the only thoroughly practical "DRY WASHER" ever invented, will save a larger per cent. of gold than any other machine. It is Cheap, Light and Durable, runs easy, will not blow the gold off. Can be easily carried and packed.

The material used in its construction is of the best, and is well bolted and screwed (not nailed) together, and is easily taken apart. Woodwork is of spruce and poplar; castings, iron and brass; lining, galvanized iron; riffle screen, No. 70 mesh, brass wire; hopper screen $\frac{3}{4}$ in. mesh, well secured, fans galvanized iron.

PRICES, Prospector \$15; Small Size \$35; Medium Size \$40; Large Size \$50. Any amount of References given

A. G. GODFREY, Manufacturer,

311 $\frac{1}{2}$ West Seventh St., Los Angeles, Cal.


A NEW MORTAR

That is a crusher and pulverizer combined



Weight 10 lbs.; Diameter 10 1/2 in.; Height 8 1/4 in.
Fills a long-felt want. Send for descriptive circular. Crusher Pulverizer No. 1, \$25.00.
J. E. Surman & Co., 74 Cortlandt St., New York

Lidgerwood Hoisting Engines



Built to gauge on the Duplicate
Part System. Quick Delivery Assured.

HENSHAW, BULKLEY & CO., Agents, San Francisco.

Mine Hoists,

STEAM AND ELECTRIC

CABLEWAYS Hoisting and Conveying Devices


SEND FOR CATALOGUE

Lidgerwood Mfg. Co.

96 Liberty Street,

New York

The Improved WONDER Irrigation Pump



We also Build Vertical Style for Mining Purposes.
Write for full particulars and Catalogue.

Wonder Pump Mfg Co.,

MACHINERY & ELECTRICAL CO., Los Angeles, Cal., Agents for California.

KANSAS CITY,
Missouri.

Sulphuric Acid

Also Strictly Chemically Pure

AMMONIA and

for Laboratory Use and Fine Chemical Work.

* SCHOOL OF *


Practical Mining, Civil, Mechanical,
Electrical Engineering, Metallurgy,
Cyanide Process, &c.
Surveying, Architecture, Drawing and Assaying.
933 MARKET ST. SAN FRANCISCO, CAL.
OPEN ALL YEAR

A. VANDER NATIEN, President.
Assaying of Ores, \$45; Bullion and Chlorination
Assay, \$85; Blowpipe Assay \$10. Full Course
of Assaying, \$50. Established 1864.
Send for Circular

The F. M. Davis IRON WORKS CO.

Office and Works 23 to 743 Larimer Street
Corner 8th Street, DENVER, COL.

THE DAVIS IMPROVED CHILI MILL



SIMPLE, DURABLE, EFFICIENT

Five-foot Mill, \$1,500.00
Weight, 24,000 lbs.

SEND FOR CATALOGUES AND DISCOUNTS

Manufactured by the
Western Chemical Co.
For Chlorination, Refining and other
processes. Also Muriatic and Nitric
Acids, Blue Vitriol, Copperas Refined
Sulphate of Soda, Etc

Denver, Col.

C. P. Acids



A Complete
Line of
Drills

Send for Catalogue

UPRIGHT DRILL

THAT ARE MADE BY

W. F. & JOHN BARNES CO.,

105 Ruby Street, Rockford, Ill.

ARE SOLD IN

San Francisco by HENSHAW, BUCKLEY & CO.

Why SEND YOUR MONEY EAST FOR

Shoes and Dies, Cams Tappets, Car Wheels, Shafting, Hangers,
Pulleys, Ore Cars and Iron and Brass Castings, when they can
be obtained for the same price and in less than half the time

AT THE

Albuquerque Foundry and Machine Works,

Repairing of Mill and Mining Machinery a Specialty.

Albuquerque, New Mexico

Advertise your ...

* WANTS *

In THE JOURNAL

I. C. YAWGER,

SUGGESTOR TO
VICTOR BISHOP & CO.

21 Maiden Lane, - - - - New York

MACHINERY

NEW AND 2ND HAND

FOR SALE CHEAP

Hoisting Engines, Air Com-
pressors, Rock Drills, Crushers
Dump Cars, Steam Shovels,
Light Locomotives, Relaying
Rail, etc. Send for printed leaf-
let just issued.

WILLIS SHAW, 629 N.Y. Life Bldg., CHICAGO

Reliable Assays

Gold \$.50	Copper \$1.00
Silver40	Gold, Silver and Lead 1.25
Gold & Silver75	Gold, Silver, & Copper 1.50
Lead50	Gold, silver, copper, lead 2.00

Samples by mail receive prompt attention.
Highest price paid for Bullion.

Ogden Assay Co.,

1430-16th Street, Denver, Colo.

UNFAIR COMPETITION

Our recent announcement that inferior goods had been sold and billed on the Coast as our goods, and that our trademark numbers had been counterfeited, has disclosed an even greater extent of these practices than we had supposed to exist. To make the resulting damage to the reputation of our goods as small as possible and to protect our would-be patrons we repeat:

All our catalogue goods, except those listed by us as manufactured by others, are stamped with our name "Keuffel & Esser Co." or our initials "K. & E. Co.," and where there is room for it, with our trademark. Our German or goods so stamped are therefore not ours. All our goods are fully warranted to conform to the description we give of them in our catalogue and to be of the quality and grade specified. We make some lines of cheaper goods for the jobbing trade, but they differ from our catalogue goods in quality and appearance. These inferior goods are not stamped with any of our trademarks. Our catalogue goods are not furnished to any dealer or agent without our complete stamp as described above, and any claim that we furnish our catalogue goods by special arrangement without our stamp is therefore an attempt to deceive. Our special papers in rolls or sheets

Duplex Universal Anvil Baragow Normal

are watermarked or stamped along the edge with their name. Any claims that our papers are furnished by us in bulk without these names or that these papers have been obtained otherwise than through us, are absolutely false. We will thankfully accept any information bearing on the counterfeiting of our trademark numbers or the palming off of other goods as ours.

Very respectfully, KEUFFEL & ESSER CO., New York

LINK-BELT Elevators and Conveyors



Electric Coal Mining and Haulage Machinery.

Complete Tipples-house equipment, Coal
Washing Machinery, Shafting, Pul-
leys, Shaft Bearings, Friction
Clutches, Gearing, etc.

SEND FOR CATALOGUE

Coal Conveyor, 328 ft. center
handling 4 tons run of
mine coal per minute

DENVER:

1328 17th Street

A. E. LINDROOTH, Manager


The Link-Belt Machinery Co.

ENGINEERS, FOUNDERS, MACHINISTS

CHICAGO, U. S. A.

The White Briquetting Press

FOR COAL, FINE ORES, FLUE DUST, CONCENTRATES



SOLE LICENSEES TO SELL AND OPERATE

The Henry S. Mould Company,

Carnegie Building

PITTSBURG, PA., U. S. A.



The Gold and Silver Extraction Co.

OF AMERICA, (Limited)

Capital \$550,000

The Original Cyanide Process, Simple, Reliable, Economical. Mine owners and others having Refractory and Low Grade Gold and Silver Ores and Tailings should have their material tested by THE MACARTHUR-FORREST PATENT CYANIDE PROCESS. Samples assayed and fully reported upon. Properties examined. Designs furnished. Particulars upon application.

GEO. A. ANDERSON, Gen. Mgr.

210 McPhee Building, Denver, Colorado

Information, estimates, etc. cheerfully given. JESSE J. MACDONALD, Agent, Care B. H. Calkins, 127 W. 1st St., Los Angeles, Cal.

Miners Attention!


We Sell Powder, Caps, and Fuse, Mining Machinery, Belting, Asbestos Goods, packing of all kinds, Picks and Shovels, Iron and Steel; Iron Wheelbarrows, Ore Sacks, Tents, Portable Forges and General Mining Supplies. Agency Truax Mfg. Co and Studabaker Wagons.

WILCOX & ROSE CO.,

San Bernardino, Cal.

KEUFFEL & ESSER CO.
NEW YORK.
127 FULTON AND 42 ANN STS.
Branches: 111 Madison St., Chicago; 708 Locust Street, St. Louis, Missouri
Drawing Materials and Surveying Instruments
largest and best assorted stock in America. All requisites for field, mine, and draughting room. We have made a study of this line, and our goods are warranted to be as nearly perfect as it is possible to make them. Prices reasonable. Write for catalogue.

LAMBERT Gas, Gasoline and Distillate Engines



TANKS, PIPE and WATER
SUPPLY GOODS PUMPS
of all kinds.

Call on or Address,

S. J. Smith,

230 E. Fourth Street,

LOS ANGELES, CAL.

YOUNG & SONS.,

Manufacturers of

Engineering, Mining and Surveying Instruments. Noted improvements in Auxiliary Telescopes for vertical sighting in mines. Makers of the inclined standard transit. Non-Extension Telescopes, moisture and dust proof. Write for special circulars of mining transits. 44 N. Seventh St., Philadelphia Penn.

SAVE MONEY! FUEL COSTS MONEY

Protect your pipes and boilers with Wm. Berkfeld's Fossil Meal composition, packed in sacks, easy to transport anywhere. Send for facts and figures. FOSSEL MEAL CO., 2 Cedar Street, New York

Assay Office LEW E. AUBURY, E.M.

115 West 1st Street,
Opp. Natik House LOS ANGELES, CAL.

Mining Supplies and Steel

Blacksmiths and
Machinists Supplies
of all kinds.

Iron and Heavy Hardware, Wood Materials, Wheels, Hardware &c., for heavy freight wagons. Blacksmiths and Wagonmakers Tools and Machines. Send for complete catalogues.

S. D. KIMBARK,

80-82-84 Michigan Ave., Chicago, Ill.


W. O. ABBOTT, ASSAYER

ASSAYING IN ALL ITS BRANCHES
CHEMICAL DETERMINATIONS ACCURATELY MADE

TOMBSTONE - - - ARIZONA

The Bleichert Wire Rope Tramway

And Other Systems of Aerial Transportation



Bleichert Tramway of the Solvay Process Co. transporting rock

MANUFACTURED BY THE TRENTON IRON CO., TRENTON, N. J.
Engineers and Contractors, and sole licensees in North America for the Bleichert System. Also Wire Rope Equipments for Surface and Underground Haulage, etc.
NEWTON H. BELL, Agent, 109 California St., San Francisco, Cal.

SEE Incorporated Mines Paying Dividends Page 22

WM. M. COURTIS, A. M.

★ Mining and
Metallurgical Engineer

Assayer and Analytical Chemist

Office: 412 Hammond Building,
Permanent Address, 449 4th Ave, Detroit, Mich.

Assay Office and Ore Testing Laboratory OF HENRY E. WOOD, Assayer

1724 ARAPAHOE ST., DENVER, COLORADO
Established in Colorado in 1879

Control and Empire Assays a Specialty. Wilbey Concentrator in Operation. Write for circular giving prices, etc.

HADFIELD'S MANGANESE STEEL, HARD, TOUGH.



Best Metal known for Stamp Shoes and Dies, Roll Shells, Crusher Plates and Side Liners. Toggles and Toggle Bearings, Gyratory Cones and Concaves or Liners, Mine Car Wheels, Coal Crushing Rolls, Etc., Etc.

TAYLOR IRON AND STEEL CO.,
Sole Licensees in America under Hadfield System and Patents. High Bridge, N. J., U. S. A.
All Pacific Coast parties interested please address, Parks & Lacy Co., San Francisco, Cal.

ENTERED AT THE POST OFFICE AT LOS ANGELES, CALIFORNIA
AS SECOND CLASS MAIL MATTER.

F. W. EDELSTEN, Editor.

O. S. BREESE, *Business Manager.*

JOHN STEWART, *Special Contributor*

ULRICH KNOCH, Publisher

Stimson Block, Los Angeles, Cal.

150 Nassau St., New York, N. Y.

BRANCH OFFICES:

San Francisco, Cal.	64-65 Merchants Exchange
Chicago, Ill.	413, 59 Dearborn St.
Denver, Colo.	402-403 Quincy Bldg.
Salt Lake City, Utah	15 W. Second South St.
Spokane, Wash.	Hypothec Bank Bldg.
City of Mexico, Mexico	No. 4 Calle de San Juan de Leirao

SUBSCRIPTION PRICE:

For United States, Mexico and Canada.....	\$2.50 per annum
" " " "	1.25 six months
All other countries in the postal union.....	3.50 per annum
" " " "	1.75 six months

NOTICE TO SUBSCRIBERS

Subscribers not receiving their copy of the JOURNAL regularly, whether ordering through agent or direct, will kindly notify the Los Angeles, Cal., office.

ISSUED SEMI-MONTHLY

ADVERTISING RATES FURNISHED ON APPLICATION.

WATER STORAGE AND FORESTRY

The meetings of the American Forestry Association were held in Los Angeles, Cal., on 19th and 20th July last, Abbott Kinney presided along with Secretaries George W. Whittlesey and W. H. Knight.

Among the delegates present according to the registration of names were these: Lucius A. Booth, Oakland; W. Fordice Jones, Temple, Tex.; Charles A. Keffer, Mesilla Park, N. M.; Samuel B. Green, University of Minnesota, Minneapolis; George W. Whittlesey, Washington; William S. Lyon, Los Angeles; A. J. McClatchie, University of Arizona; W. W. Everett, San Francisco; Chas. H. Shinn, Berkeley; Clarence L. Cory, Berkeley; W. S. Melick, Pasadena; F. H. Newell, Washington; Charles C. Swisher, Washington; Gifford Pinchot, Washington; Adolph Wood, San Bernardino; Nathan W. Blanchard, Santa Paula; George H. Maxwell, San Francisco; H. A. Barclay, Los Angeles; C. H. Van Epps, Whittier; William N. Campbell, Pasadena; O. S. Breese, Los Angeles; James Boyd, Riverside; Thomas G. Lawson, Los Angeles; J. A. Lippincott, Philadelphia; J. B. Lippincott, Los Angeles; M. M. Ross, Nashville, Tenn.; Harvey C. Stiles, Redlands; C. G. Baldwin, Claremont; C. A. Colemore, Santa Monica; George H. Peck, El Monte; Fred L. Alles, Los Angeles; H. W. Duncan, W. F. Burbank, A. R. Sprague, T. S. Van Dyke, C. M. Heintz, Los Angeles; S. M. Woodbury, South Pasadena.

The meeting on Wednesday evening, 19th July, was somewhat changed from what had been intended by the committee. The illustrated lecture of F. H. Newell was postponed until the next evening, to allow Gifford Pinchot, who desired to leave the city Thursday evening, to present his illustrated lecture. J. B. Lippincott concluded the session with an illustrated lecture on "The Bitter Root Range of Montana."

Gov. H. T. Gage, Senator Stephen M. White and Congressman R. J. Waters were not in attendance, having been detained else-

where on business. Assemblyman W. S. Melick, of Pasadena, was the first to address the convention.

At the session of the forenoon on Thursday, the address of Hon. Elwood Cooper was omitted, because of his absence, and the paper of A. Campbell-Johnson, on "A Forest Experiment Station," was read by Secretary Whittlesey, of the American Association. The author of this paper urged the establishment of experimental stations and a systematic planting of trees.

H. Hawgood, the well known civil engineer, followed with a paper, entitled "Engineering Problems in Forestry and Water Storage."

The paper of S. H. Woodbridge, Ph. D., on "Water Conservation in Soils, followed." The speaker related the result of his own experiments to show that some varieties of soil absorb moisture much more rapidly than others, and the natural mould of an old forest is the best in every respect, being naturally more moist and consequently more ready to take in by capillary attraction the rain that falls upon it. The object of the paper, like that of the one that preceded it, was to show the absolute necessity of preserving the forests that protect the absorbent soil which serves such useful purpose in storing water for the use of man.

Elwood Mead, formerly state engineer of Wyoming, recently appointed irrigation expert for the department of agriculture at Washington, delivered an excellent paper on "The Future Policy for Irrigation in the West." He prefaced his remarks by saying that he had intended making his address applicable to local conditions here, but he finds that he can do that only after making a personal investigation. Conditions that apply to other regions could not be adapted to the needs of this country, and on this subject he will be more specific at some future time.

The tenor of his address was an unqualified indorsement of a proposal to lease for grazing purposes all the public lands, and to use the money thus obtained in the construction of storage reservoirs and irrigating canals. He argued that in regions where high freight rates prevail and production is scanty, it is folly to expect private enterprise to engage in great works of storage reservoirs and irrigation systems. For the state to undertake it a way must be found to raise the money. Taxation would be objectionable. The necessary money could be raised by leasing the public lands—a proposition that would be objected to by no person, not even those that would be the tenants. In some arid states, Mr. Mead said, the income that would be derived from the rental of the public lands for grazing purposes would far exceed the total taxation. The receipts from the rental could be utilized in the building of the needed storage reservoirs and systems of canals, and no additional burden would be put upon the people.

Because of the lack of a rental system the occupants of public lands feel that they have no tenure of possession. They will not even plant a tree or dig a ditch. They hold the land for what they can get off of it, expecting to move as soon as the last vestige of sustenance has disappeared from it. Under a rental system, the speaker said, all this would be changed, and there would be an income that could be converted to the public good.

Wallace W. Everett, associate editor of *Wood and Iron*, a San Francisco publication, next presented a paper on "The Practical in Forestry." It was an exposition of the sub-

ject viewed from the money-making standpoint, of the sawmill men, against whose inroads the forestry association is now doing battle. It seemed like a discordant note sounded in the harmony of the meeting, but it was an able paper on the subject. Mr. Everett, voicing the sawmill interests, frankly admitted that the lumber men are opposed to the policy of the association which hopes to save the mountain forests. The speaker made some suggestions as to how the association should proceed. The address was listened to with attention.

The concluding paper of the morning session was by O. S. Breese, of THE MINING AND METALLURGICAL JOURNAL, on the relation of the mining industry to the preservation of forests.

The most interesting part of the afternoon session was the consideration of those questions that are of strictly local application, by F. H. Olmstead, Los Angeles, City Engineer, and Mayor Fred Eaton, formerly City Engineer. These speeches were, however, prefaced by three others of a general nature.

Superintendent John McClaren, of the San Francisco city parks, spoke on the "Reclamation of the Drifting Sand Dunes in Golden Gate Park." The speaker explained the methods that had been employed to prevent the constant shifting of the sand dunes.

W. R. Dudley, professor of botany in Stanford University, spoke at length on "The Sequoia of the Sierra and their Distribution."

James D. Schuyler, consulting hydraulic engineer, spoke on "Storage Reservoirs as Affected by Forests."

Chairman Kinney here introduced F. H. Olmstead, City Engineer, who, with a large map of the country surrounding Los Angeles, showing the source of the Los Angeles River, spoke on "Forest Preservation and the watershed of the Los Angeles River."

T. S. Van Dyke spoke on "Irrigation Problems."

After reviewing at length the experience of land owners and co-operative associations in running irrigation systems, Mr. Van Dyke concluded by expressing his entire approval of the system proposed by Elwood Mead.

A paper on "The Forestry School of the University of Southern California," by George W. White, president of the institution, was read by Prof. Laird J. Stabler, and the exercises of the afternoon closed with an address on "Forestry in North Dakota" by W. W. Barrett, vice president of the association from that state.

The closing hours of the convention were occupied with some of the most interesting speeches of the day. The attendance was larger than at the previous sessions, and the audience seemed to take a great interest in what the speakers had to say.

F. H. Newell, Hydrographer of the United States Geological Survey, gave an illustrated lecture showing the conditions of our forests, and replete with views explanatory of dams and irrigation works.

Hon. George H. Maxwell of San Francisco, executive chairman of the National Irrigation Association, was the next speaker. He discussed "Nature's Storage Reservoir."

Abbot Kinney closed the speech-making with an address on "The Forest Problem in the West."

At the conclusion of the speech the Committee on Resolutions presented its report, and resolutions were adopted.

Numerous amusements had been arranged to entertain the delegates in Southern California.

MINERS' ASSOCIATIONS.

The value of Miners' Associations in protecting the interests of the industry has already been felt in the short period of eight years' existence of the California Miners' Association. The influence for good has been extended to the southern counties of California by the formation of the Southern California Branch with a membership that increases monthly as the objects and usefulness of union in a common cause become known. By invitation from this Association the seventy-seventh meeting of the American Institute of Mining Engineers will begin on the 25th of September next in San Francisco, after which the regular annual meeting of the California Miners' Association will be held. It is the privilege and duty of all who are interested in mining to become identified with this Association and benefit by these meetings and aid the proper representation of the importance of mining in Southern California. One of the objects of miners' associations is to propose and regulate legislative and other measures affecting the mining laws and industry. As there are a small class of well meaning but inexperienced enthusiasts who desire to make a change in our just mining law which allows the miner to follow the dip or pitch of his vein or deposit under the side lines of his claim when it dips at an angle from the vertical, to the square location with vertical side line boundaries, which would be an unjust law to capital and labor invested in almost all the mining districts of California, it is the duty of mine owners to cast their influence against such an unjust, ill advised and backward step by joining the California Miners' Association and defend their own interests. Such a change in our laws would put a restriction and limit on deep mining by giving to another party the continuation of your vein in depth when it passed under the side line of your claim. It is an eastern State or farmer's boundary, and is suitable for surface conditions but not for underground or mining operations as it does not restrict or stop the theft or appropriation of ore, but gives the result of your labor and discovery to another. The chief contention of such parties who desire to change the present law is that it is productive of litigation, but they do not stop to consider that the error lies not in our mining law, but in our wrong manner of settling disputes among miners in courts of law by lawyers whose interest it is to carry on the fight for all there is in it. The settlement of any disputes arising out of mining can best be made by arbitrators who are mining men by visiting the ground and taking the evidence on the spot. In the early days of California that was the manner adopted of settling mining disputes and consequently long and expensive litigation was unknown until miners resorted to the courts of law and lawyers to obtain justice. For these and other equally good reasons every miner and prospector should give his influence in defending his interests by becoming a member of the California Miners' Association.

FUEL SUPPLY OF THE PACIFIC SLOPE.

The local coal supply of the Pacific Coast is derived from the soft, inferior lignites of cretaceous age, and amounts to so little that it can hardly be considered a competitor with that imported by sea from foreign ports or by rail from New Mexico. It is not produced in sufficient amount to be classed as a competitor with foreign coal or with the local supply of

asphaltum base crude oil for manufacturing purposes. On account of the small area of these local coal fields and the small width of the beds of it found therein, there is no hope of future discoveries of large supplies*. The local fuel oil, which has great heating power, is a much more important factor in competition with coal imported by rail or by the sea. The present market value of this oil has recently increased to \$1.25 per barrel on account of the advance in the price of iron and steel, which is used for oil well casing. Three barrels of oil are considered equal to one ton of coal for steam purposes. For household purposes the imported coal from British Columbia, Australia and England has been the chief source of supply. For these reasons the Pacific Coast of North and South America presents a new market for the bituminous and anthracite coal of the Eastern States when these States awake to the necessity of fighting the railroad monopoly which controls legislation in opposing and preventing the speedy construction of the Nicaragua Canal. The coal trade of the East is only one branch of United States commerce that is shut off from part of their own territory and in doing an export business on the Pacific by the railroad monopoly. With the construction of the inter-oceanic canal vessels would bring out Eastern coal and manufactured articles and take back lumber, minerals, fruit and grain to the East. Eastern enterprise is as much interested in this worthy project as are the Pacific Coast States.

AN ERA OF STRIKES.

The country has been, and still is, passing through a series of strikes, unusual in number and in stubborn pertinacity. There are constant mutations in business conditions, and, consequently, the relations in some aspects of labor and capital are as constantly changing. The real struggle is for a deserved share of produced wealth on the part of labor.

There are repeated asseverations of prosperity in the country, and the prices of some commodities have greatly advanced, and with no increase in the cost of production, the profits to capital have been greatly enhanced. Seeing this has caused the operatives to believe that their wages should be correspondingly raised, and because this has not been done, and is refused, strikes are resorted to for the enforcement of compliance with the terms of the workers. The antagonism between labor and capital is the same as that between buyer and seller, or producer and consumer. The selfishness of human nature often interposes obstacles to relations of fairness and justice which should ever exist between the various classes of humanity.

It is unfortunate that there cannot always be an understanding, based upon what each deserves in the allotment of wealth as it is produced. There are two reasons why this is not done, one being too much egoism, and the other is the want of knowledge of conditions which should be taken into consideration in awarding the just share to each.

Capital does not of itself produce wealth, but it is a useful and necessary agency in carrying forward enterprises and industries by which opportunities are afforded for producing wealth in conjunction with labor. The possessors of capital thus invested are entitled to be guaranteed not only against

loss, but to a just and reasonable remuneration, which should at least be sufficient to compensate for the trouble and hazards of making the investment, and more than that, as capital may be regarded as so much stored labor, it should have an earning power, that the aged may have the means of livelihood when their earning power has departed from them.

Labor should not be deprived of its fair share of produced wealth, and there would be no collision between the forces of labor and capital, if there were a disposition on both sides to act justly, and the intelligence to comprehend the inevitable ups and downs in business affairs.

Capitalists should not make a cast iron rule as to the profits they will exact, nor should labor make an unchangeable scale of wages. There should be a sliding scale on both sides, and equitable changes made to correspond with the varying conditions of business.

The right to refuse to work when terms are unsatisfactory is undeniable, but dissatisfaction should rest upon substantial grounds, and not upon an inadequate knowledge of existing facts. Strikes that proceed no farther than cessation from work no one should find fault with, except those who suffer from the non-earning of wages, but those which are attended by destruction of property, or interference with those who are willing to work on proffered terms, are more than reprehensible, they are crimes against society. The principle is the same whether property is wrongly taken from one or he is wrongfully prevented from earning property. Labor organizations should guard against the undue exactions of capital, but because among laboring men there are non-communicants with labor organizations, it is no excuse for a resort to coercion and violence.

The indefensible conduct of strikers in the past has kept a large number of thoughtful and good men from becoming members of labor organizations. A just course will largely increase the membership, and create a more extended and deeper sympathy on the part of the American people. Reprehensible demands and incendiary agitation estrange sympathy and impair the effect of organized effort to protect the rights and promote the interests of the working classes. Labor and capital are interdependent, and should be cordially co-operative.

These are some of the general principles that should be respected. The issues in specific cases it is not our purpose or business to discuss.

THE PNEUMATIC CYANIDE PROCESS.

The claims made to invention and patent by certain Denver, Colorado, parties, represented by Jean Webb as the inventor of the improvement in operating a cyanide plant in obtaining or increasing the required supply of oxygen from the atmosphere by the introduction of compressed air into the vats is not new, as can be easily proven. The use of air for this purpose has been practiced by Messrs. Dean and Brand at their mill near Kane Springs in the Randsburg district, California, for about four years. Messrs. Porter and Llewellyn at Garlock used the same appliance and it has been in use in other mills in California for the same time, so that it is not a new invention as claimed by the would-be patentee. The supply of air was obtained by Messrs. Dean and Brand from a small air

*We will watch the development of the coal beds at Garlock, Kern county, Cal., with interest.

compressor which they added to their plant as an experiment, which proved a success, as the mechanical action of the air circulating through the solution aided the chemical production of cyanogen, as well as the solution of the gold in the ore by keeping it agitated at no extra expense, except for the first cost of the compressor and fittings. These operations were not conducted on the laboratory amount of a ten-pound sample, as the Colorado experiments have been, but were in daily use in large vats holding several tons of ore. As it is several years since the writer obtained this information from Messrs. Dean and Brand, the exact capacity of the plant cannot be given correctly.

CORRESPONDENCE

IDAHO.

BOISE, IDAHO, July 8, 1899.

Here is a very pretty little town of some seven to nine thousand population, resting against the foothills of the mountains that bound the Snake River Valley on the north. It is 20 miles off the route of the railroad, and few transcontinental travelers know of its existence; but those who do make the side trip on the stub railroad running from Nampa on the main line, and who stay long enough to learn something of the place and the surroundings, do not consider the time lost. Just at the city the Boise river emerges between black, lava-capped buttes from the mountains, and after flowing westward fifty miles through a very fertile valley, empties into the Snake.

No one seems to know exactly when the first French voyageurs or Jesuit Fathers arrived from the north at the mouth of this fine stream, and attracted by its clear water and the wealth of timber fringing the banks and covering its bottoms—presenting such a contrast to the majority of water courses in Southern Idaho—called it the "Riviere Boise", or Wooded Stream. But, as early as 1830 at least, and probably years before, the Hudson Bay Company had a small trading post at its mouth. In 1803, when what is now called the Pacific northwest, by being a part of the Louisiana Purchase, passed from the sovereignty of France to that of the United States, the government seems to have established a little military post at or very near the site of the older fort, which probably had for its main purpose the protection of emigrants who were traveling by the Snake River route to the Pacific ocean.

In 1860, the overflow of miners and prospectors from California and Oregon poured over into Idaho and made the first discovery of gold within its present borders on one of the branches of the Clearwater, about 200 miles north of Fort Boise. During 1861 and 1862, the miners rapidly worked their way southward through the mountains until, in the fall of the latter year, the wonderful placer deposits of the Boise Basin were discovered. This caused such a rush into Southern Idaho that the government moved its small post at the mouth of the river up to the base of the hills from which the Boise river emerges, and that incident determined the location of the town. It became at once of course the supply point for the newly-discovered gold mines.

Situated on a gentle, sloping plain between the river and the hills, where the soil is rich and deep from the disintegration of the lava-capped ridges close by; abundantly supplied

with water for irrigation; provided with plenty of business in furnishing supplies to the army post and the miners, the little town prospered from the start; but like all individuals and communities who make money too easily and too early in life, soon lost energy and push, became indifferent of the future under the belief that it was a favorite of fortune; acquired a tremendously swelled head when it was chosen the capital of the State, and lost its senses completely. So when the railroad in 1884 came along through the Snake Valley, and the citizens were asked what they would do for it in the way of depot facilities and rights of way, the self-satisfied property-holders, believing that the railroad had to come to them, looked important and said they had land to sell if the company's pile was large enough—if not, they were sorry, etc., etc. Thereupon the representative of the company shook the dust of the town from his feet, and went and located his line 15 miles south over a low ridge and passed on to the Pacific. Since which time the live citizens of the place have been repenting in dust and ashes, while the rest are hoping to live till the day when some new transcontinental line will come along this way and give them another chance.

The Boise cemetery, however, shows healthy signs of growth of late. There are indications that the old town is acquiring its second wind. A new set of men are coming in and seizing control of its business. There is a decided revival of mining in the Basin (of which more anon) and of railroad talk in the hotel lobbies. A single car does duty on the electric tramway line running from one end of the city to the other. Cement sidewalks are being laid in many places. The town itself is really such a pretty one, and so deeply embowered in trees, that but little in the way of cement improvement is needed to make a showing. Of course it has an electric light and power plant, and a telephone exchange, and the latter extends up into the Basin and across the Snake Valley to the Owyhee Mountains, where there are great quartz mining interests, and is also connected with the general telephone system building eastward from the Pacific Coast. Boise can already talk with Los Angeles, San Francisco, Portland, Seattle, Spokane and Helena; and before the year is out will be in connection with Salt Lake.

The Boise Valley appears to be better adapted to fruit raising than to any other branch of agriculture, and of the fruits, the countryside seems to have become more violently addicted to prunes than to anything else. At any rate, the largest prune orchard in the United States—and perhaps in the world—is a few miles below the town. Idaho prunes are thought to be fully equal if not superior to any raised, and evidences are not lacking that many thousand pounds of them each year masquerade successfully in the Eastern States under the brand of "Imported Turkish." Thus does home industry flourish at the expense of the effete European and in spite of the efforts of the Europeanized American.

Artesian hot water is the specialty of the place. Denver has its own and only snow-clad mountain range to boast of; San Francisco calls the seal rocks its especial attraction; Los Angeles the beautiful San Jacinto range and the ostrich farms; Salt Lake City points to its inland ocean bathing as its particular charm; Butte mentions copper as its monopoly; Boise in its turn is the one place in the Union where newer business blocks

and residences are heated and supplied with natural hot water. The fluid was encountered 300 feet from the surface at a point about one and one half miles east of the town. It is utilized first in supplying what is by very long odds the finest natatorium on the continent, with a stone and cement plunge 60x120 feet, surrounded by a beautiful building containing all the concomitants of such an institution; and then the overflow, conducted in iron pipes to the heart of the town, is passed through all the finer recently erected buildings. The streets are sprinkled and washed with hot water, and it is all the year round—but particularly in summer—an unmixed blessing to laundrymen, housekeepers and hotels. Being quite free from mineral and quite hot (170° Fahr.) it finds its way through the community leaving no unpleasant trace or trail behind, a blessing to all. The only weak point in the institution so far seems to be that there is not as yet enough to go around. But in the new life that is coming to Boise, new wells will be sunk, and more hot water developed. The source appears to be in a volcanic butte close to town, whose internals only need scientific and persistent probing to produce an unlimited, or at least, a greatly increased yield.

I am off for the Basin in a few days, and will shortly have some notes on that interesting region from which the gold has been pouring in a steady stream for the last thirty-six years. THEO. F. VAN WAGENEN.

PENNSYLVANIA.

Iron Castings Advance in Price.

At a special meeting of the jobbing foundries of Philadelphia and vicinity, at the Manufacturers' Club, under the auspices of the Foundrymen's Association, on Thursday evening, July 6, '99, the following was unanimously adopted:

Resolved: That, on account of "the rapid rise in price of pig iron, scrap iron, and other raw material, it is the sense of this meeting that the present price for iron castings is too low," therefore be it

Resolved: That "The price of iron castings be advanced $\frac{1}{2}$ c. to 1 c. per pound, to take effect immediately."

Resolved: "That should there be a further rise in pig iron, scrap iron or raw material, that the price of iron castings shall be advanced at least in proportion."

HOWARD EVANS, Sec'y.

The Mystic Rotary Quartz Crusher Co., composed of B. I. Turman and T. J. Hampton, sole owners of the Mystic Quartz Crusher, for crushing all kinds of ores, wet or dry, have issued a pamphlet descriptive of the machine. This crusher is built on entirely new lines, and a mill that will crush 20 tons in 24 hours, through a 30-mesh screen, costs \$1,200. Ex-Governor H. H. Markham had one mill on his American Girl mine, at Hedges, in San Diego County, Cal., and has ordered another. For further particulars, address the main offices, 132 South Broadway, Los Angeles, Cal.

The American Diamond Rock Drill Co., of 120 Liberty Street, New York, report as among recent sales one diamond drill for South America, one for Canada, two for the Southern States, one for Pennsylvania, and two for Central America. The supply trade is also keeping the shops busy, and the outlook seems good for increased business.

TWO REPUBLIC MINES.

PRINCESS MAUDE.

The roughest kind of figuring upon the showing in the Princess Maude mine at present indicates that there is 40,000 tons of ore practically in sight and there is little reason to doubt that this will average \$15 per ton. Certain it is that the average of the ore thus far encountered in the drift in which work is at present being prosecuted is better than \$15 per ton. The ore chute on the Princess Maude is practically demonstrated to extend 480 feet through the claim. The present workings are at a depth of 262 feet. It is certainly safe to say that there is a round half million dollars' worth of ore in sight and it is more than probable that the actual value of the ore is nearer twice that sum.

A shaft on the Princess Maude ledge near the south end line of the claim is down 104 feet. In this is four and a half feet of quartz showing in the bottom. Assays of this made from samples taken in the presence of the correspondent of the *Spokesman-Review* last summer went over \$30. There were indications that the shaft had struck on the edge of a pay chute, as the ore on the south side of the bottom of the shaft went about \$18 and on the north side it went as high as \$36. The showing was so satisfactory that it was decided to drive a tunnel to catch the ledge at a depth of 260 to 270 feet. About the time this was started a shaft was sunk on the Dude fraction, a narrow wedge of ground lying between the Princess Maude and the Jim Blaine. This shaft prospected the Princess Maude ledge to a depth of ten feet and showed ore which assayed as high as \$18 across four feet of quartz. It was this showing which led the Jim Blaine company to start a tunnel which is now being run to catch the Princess Maude vein where it runs through the Dude fraction into the Jim Blaine and thence on into the Republic claim.

The distance between the shaft at the south

end of the Princess Maude and the one on the Dude fraction near the east side line of the Princess Maude is about 480 feet. The development proved that chutes of pay ore existed in the ledge at both ends where it passed out of the claim. By many it was deemed the height of folly when the management started a tunnel to catch the ledge at a point about midway between the two shafts. It was argued that ore chutes are rarely over 200 feet long and that the ledge was almost sure to be encountered in a barren place.

The tunnel was started last October and the work was carried forward with out a pause, three shifts being employed most of the time, until at a point of 407 feet in from the portal, the ledge was encountered. Those who had expected barrenness were surprised, and even the most sanguine were astonished when it was shown that the tunnel had encountered ore even richer than was shown in either of the shafts and with the ledge fully as strong as it had shown at any other point. Doubters were satisfied, and there is not a mining man in camp today, who knows his business, who does not regard the Princess Maude as one of the proved mines of the camp.

There is a favorable feature in the drift at this time that should not be overlooked in placing an estimate on the value of the property. As it goes south in the direction of the shaft the quartz has become of a uniform appearance throughout and cannot be distinguished from that in the Republic mine. There seems no question as to the future of the Princess. It is no longer a prospect but



FACE OF SOUTH DRIFT, PRINCESS MAUDE.

a mine. When the ore chute that is such a prominent factor in the history of the Republic passes out of its own ground into the Jim Blaine it is but reasonable to believe that it will continue from the latter into the Princess Maude ground. The pitch of the chute will preclude any other result.


The company was incorporated with a capitalization of 1,000,000 shares, having a par value of \$1 each. The stock was offered to subscribers at the low figure of one cent a share, and within five days all the promoters' stock had been taken and active development was begun on the claim.

Since July 15, 1898, at which date the shaft was begun, there has been no cessation of work on the property. The shaft was sunk to a depth of 104 feet, and it then became apparent to the management that machinery would have to be put in or some new plan of operating the claim devised. It was decided that the cheapest plan was to run a tunnel which would drain the mine to a depth exceeding 200 feet, and would save a large expense in hoisting the rock to the surface. In October the work of excavation for a site for the proposed tunnel was begun, and in a few days thereafter the actual work of constructing the tunnel was inaugurated. After the ledge had been cut and crossed a drift was started along the ledge in a southerly direction. This drift will be continued until a point is reached directly beneath the shaft, when a raise will be made until the shaft is reached. This course becomes necessary in order to ventilate the mine and also to open it up ready for stoping.

The ledge, which has an average width of about seven feet, passes out of the Jim Blaine ground through the point of the Dude Fraction into the Princess Maude and thence into the Butte and Boston. The ledge will shortly be cut again near its southern boundary line by the Jim Blaine tunnel at a depth of about 175 feet. Within the next three months it is quite probable that the Princess Maude will be among the best developed claims in the district, and will be in condition to be a shipper.

JIM BLAINE.

"Jim Blaine" one of the principal properties of the Republic Camp is



PRINCESS MAUDE TUNNEL.

AUTOMATIC CUT OFF ENGINE.

Accompanying illustrations represent the Class "B" Standard Center Crank Automatic Cut Off Engines being put on the market by James Leffel & Co., Springfield, Ohio. They are intended to meet the demand for a thoroughly good, simple and easily cared for line of Automatic Engines in the smaller sizes up to 50 h. p., that will prove durable and economical in operation. Fig. 1 is view showing steam chest side, while fig. 2 illustrates the governor in the band fly wheel and fig. 3 shows cylinder side.

The main bed or frame is of substantial proportions, and of a design affording extra strength and stiffness. The cylinder and steam chest are of overhanging type, cast together, and firmly bolted to bed, bored out, and have very generous surface. Cross head is of improved mechanical design, having pin about mid-center, and provided with gun metal wedge shaped shoes above and below, arranged for convenient adjustment. Manner of fitting cross head pin enables easily keeping same absolutely tight at all times. Piston rod is of steel, and turned to a tight force fit in piston, with suitable shoulder, against which piston is forced on rod, and end of latter is then securely riveted over, tightly and firmly holding piston in place. The connecting rod is provided with extra heavy brass boxes at each end, easily adjustable for taking up wear and keeping distance between centers same at all times. Main shaft is extra large and strong, forged in one solid piece, from best quality hammered iron or steel, and is provided with suitable counter balance discs, securely attached. The rectangular form of skeleton slide valve is used, balanced by being fitted with a pressure-relieving plate on back between valve and steam chest lid, and is arranged to afford necessary relief in case of water in cylinder, and also made adjustable for wear. This gives, a simple, efficient, and well balanced valve, that is easily understood, and no more trouble to care for than the ordinary type of plain slide valve. A simple and convenient device (not shown in cut) is




FIG. 1.




FIG. 2.

provided for draining cylinder, same being operated by one lever, and having outlet from each cylinder cock suitably connected to exhaust pipe.

These Engines are equipped with the Rite's Governing System, which is the acme of simplicity, as shown in fig. 3. The governor consists of one piece, comprising the arms and weights, with one spring connection, and is pivoted on one hardened steel pin, nothing complicated, no links, no numerous joints or complicated parts. This governor, with the balanced valve used, affords a regulation that is practically perfect, speed being constant, and the same with engine loaded or running empty.

The manufacturers will be pleased to quote prices and furnish prospective users with any additional information desired regarding these engines.




FIG. 3.

The famous Mariposa estate, territorially one of the largest gold mining properties in the United States and the finest quartz property developed in California, is to be reopened and worked after a suspension of operations for nearly thirty-five years. The gigantic nature of the undertaking makes the news of the first importance, and promises to have great influence on the mineral development of California.

The Mariposa grant, as it is often called, is located in Mariposa county and covers an area of 44,387 acres, or about seventy square miles, being a strip of land fifteen miles in length and of an average width of five miles. The principal developments in this great territory are the Princeton, Josephine and Pine Tree mines. In addition, there are also the Elizabeth, Green Gulch, Mariposa, Mount Ophir and Mexican, but although the tract is intersected by a network of veins they are scarcely more than prospects.

From about 1858 to 1865 the property was extensively worked, the Princess mine yielding \$3,000,000 down to the 500-foot level. Since then operations have been conducted in a tentative fashion, mostly in the way of tunnels. Not giving results hoped for, they have been allowed to lie idle.

Miscellaneous Mining News.

ARIZONA.

S. P. Creasinger of Los Angeles has bought a group of copper mines in Lost Gulch, near Globe, from W. T. McNelly, W. F. Westbrook and Dory Harris. A company is to be formed with \$1,000,000 capital, and called the Creasinger Mining Company; to work the mines. In the purchase the former owners of the mine receive 49 per cent of the stock. It is said that \$25,000 in stock has been set aside for improvements. The consideration of the sale is said to be \$1000 in cash and 473,000 shares of the stock. The claims in the sale are as yet only prospects, but it is said that good copper ore has been disclosed.

The Equator mine, on which work has been suspended for a long time on account of litigation, will soon be reopened. A compromise has been effected by which the property is divided in two. W. A. Clark, who got one-half in the division, calls his property the Copper Chief of Jerome.

But the greatest interest is felt in the Dillon mine, located by Ralph Dillon, who is now backed by Scotch capital. About \$64,000 of machinery has already been put up, and more will be ordered when the mine shows up well enough to justify it. A great deal of development has been done in this mine. The Dillon lies in sight of Jerome and near the United Verde mine.

A bulkhead is being built by the Copper Queen Company of Bisbee, Arizona, in the rear of the fire station as a precaution against floods.

A strike of 1200 ounce silver has been made on the American Flag in the Wallapai mountains. The mine is one of the old producers that made Mohave county men rich.

CALIFORNIA.

AMADOR COUNTY.

Gibbon & Horn have started their big clay and gravel washer at Jackson. For the past month they have been making repairs on the machine, putting in a new hoist, etc. This machine is a perfect success in washing clay, and mining men are greatly interested in its operations.

Frank A. Stewart and Charles Lavala, owners of the Katherine mine in the Pioneer district which is located near the Defender, are shipping some high-grade sulphuretted ore. At present the sulphuretted lead is sixteen inches wide, and as they sink it is widening. The quartz vein is two feet wide and assays about \$70 per ton. The owners are rapidly developing this mine, and it bids fair to be of considerable value.

Some of the directors of the Bellwether at Jackson are in the East, and are having good success in the matter of disposing of the stock of the company. They expect to get in condition to resume operations on the mine about the first of August.—*Amador Ledger*.

CALAVERAS COUNTY.

There has been encountered in the Gwin mine a ledge at the lowest depth of the shaft, which gives promise of putting that mine in the list of high-grade gold producers. The ledge, where encountered, is two feet thick and assays \$30 per ton.

The Thorpe mine at Angels has closed

down. It has been reported that the mill would be the only department closed, and the sinking operations would be carried on, but a statement made by one who is in a position to know says the shut-down will be complete.

EL DORADO COUNTY.

The Boulder mine, on Webber creek, seven miles from Placerville, was closed last week on account of a shortage of water to run the mill. The water supply on the Gold Hill branch of the El Dorado canal will be needed for the next three months by the farmers and horticulturists in that vicinity.

The Crystal Gold Mining Company is the name of a new corporation organized to mine in El Dorado county, the company's principal place of business being at Sacramento. The directors are Henry E. and William E. Kleinsorge of Sacramento, F. L. Simpson of Grizzly Flat, S. C. and Charles Boardman of Canyon. The capital stock is \$100,000, of which one-half is subscribed.

FRESNO COUNTY.

W. R. Brown of Pine Ridge found a ledge of iron sulphurets near the road about ten miles from Fresno. He procured a pick and shovel and soon discovered that the ledge was fully ten feet wide and running northwest by southeast, parallel with the railroad. Mr. Brown took a chunk of the ore to town. It is very heavy and appears to be iron sulphates in which is imbedded gold-bearing quartz. Mr. Brown will have the ore assayed at once, but as the ledge is on patented land, he will not divulge its exact location until he is advised of his rights in the premises. This is the first ledge or lode of mineral-bearing rock ever discovered on the open plains.

SAN BERNARDINO COUNTY.

It is announced that H. C. Steele and E. F. Zombro of San Bernardino have bonded the Los Angeles mine in the Dale mining district for \$40,000, and will commence development work on a large scale.

SAN DIEGO COUNTY.

The nineteenth report of Receiver C. W. Pauly of the Golden Cross mines, covering the month of May, has been filed in the Superior Court of San Diego county. The clean-up for the month amounted to \$18,394.03. The receiver paid out during May, for the benefit of the property in his possession, claims aggregating \$13,586.75. After making all payments \$24,442.47 remained in the hands of the receiver. The payroll for the month was \$7000, and \$600 was paid for fuel.

There is a mystery over the Ranchita mine, which Gail Borden and associates recently bought for a price said to be \$150,000. A miner recently from Banner, San Diego county, reports that the Ranchita has been shut down by its new owner and the miners have been paid off and discharged, leaving only two men in charge to take care of the property. It is said that the cause of the shut-down is a disagreement between the new proprietors and the former owner, Cave J. Couts, but the exact nature of it is not known. There were eighteen miners employed in the mine when the shut-down took place, which was about two weeks ago. A five-stamp mill had been added to the place, and everything was in readiness to begin work with the new mill. A test was ordered and the machinery was started. Twenty min-

utes later orders were issued to close the mill, shut down the mine and pay off the men.

The orders were a complete surprise to everybody employed in the mine, as everything had been running smoothly and preparations had just been completed for developing the mine on a larger scale than had ever before been attempted. The owners gave no reason for shutting down the property, and further than the unconfirmed rumors which are afloat in the camp, and the statement that there had been a disagreement between the present and the former owners, nothing is known by the people of Banner concerning the shutdown. The miners employed in the Ranchita were offered work in mines at Randsburg owned by Mr. Borden, and all took advantage of the offer and have gone to that camp.

Mrs. E. H. Hendsch, dressed in male attire and under the name of E. H. Harding, an alleged mine expert, attempted to get into the mine but was not permitted to do so by Cave J. Couts, who was in charge of the property. The cause of this procedure has not as yet been made apparent.

The American Girl.

The American Girl Mining Company just incorporated with H. H. Markham as President; Thomas Johnson Vice President; G. H. Coffin, Secretary; F. S. Daggett, Treasurer, has just purchased five mines near Yuma, and work will begin August 1st. A plant will be established.

The Grapevine District.

Aside from the interested parties the reports of the disinterested practical miners who have visited this new district southwest of Banner, in San Diego county, indicate that it is doubtless a very promising field of favorable prospects that will be good for one-half of the next century. The mines are easy of access from Los Angeles via Temecula per rail, then stage to Julian, or from San Diego via Fosters per rail and stage to Ramona and Julian. It is an easy route for the construction of a railroad from Seven Palms or Dos Palms on the S. P. R'y. Abundance of water and wood are procurable in close proximity to the mines, while the climate is perfection. All the necessities of life and even the luxuries, such as fresh vegetables and fruits, are also to be had. The veins of ore run north and south. They are of immense length and widen out in going down. In all probability they are a continuation of the Mother Lode that skirts the eastern and western foothills of the Sierra Nevada range. It is a sulphuretted ore that carries a great deal of silver and copper. It is reported that one of the purchasers of some of these mining properties, a Mr. Clark of British Columbia and Washington State, intends to erect a large cyanide plant there, which will be a great saving in transportation in treating the ores. From all indications a great mining camp will eventually be established in the Grapevine district. The natural conditions exist to make such, and there is no mistake as to the richness of the ores and its immensity. It and the adjacent country south and west is practically a new country, unexplored and undeveloped, and when once brought forward to the attention of mining men and capitalists some surprising results will be shown.

SISKIYOU COUNTY.

The Schroeder quartz mine, in Siskiyou county, has just been sold to the Canada Mining Company. The price is reported to

be \$1,000,000. This is one of the largest sales of quartz properties ever made in Siskiyou county. The Schroeder mine has an excellent reputation as a paying property, and the purchasers will reap handsome profits from their investment. The property is situated in the Deadwood mining district, about seven miles from Yreka, and is finely developed, Mr. Schroeder having tapped the ledge at a depth of about 1200 feet. Just over the divide from the Schroeder mine is the Humbug mining district, where some excellent prospects have been discovered.

TUOLUMNE COUNTY.

The Bell mine, Tuttle town, is being unwaveringly preparatory to the resumption of the work of sinking the shaft.

The break in the main flume above Sugar Pine caused a partial shut down at about all the leading mines north of the Tuolumne river last week and put a stop to road sprinkling as well.

The mill on the Mountain Lily mine on the Mother Lode, which has been running steadily for the past six weeks with flattering results to its owners, shut down for a few days July 1st to make a cleanup.

Prof. J. P. Von Dussell has struck rich ore on the Stanislaus, near Robinson's Ferry. A company of Illinois capitalists has taken hold of the property and is developing it.

TULARE COUNTY.

A temporary closing down of the Minnie-Allen mine in Tulare county, pending arrangements for an extension of time on the bonds is reported. The time was up on the 22nd of July, at which date the whole of the purchase money was due, or in default of payment the mines revert to the owners. F. Cook, one of the owners, offered an extension of time if MacDonald, who gave the bond, would augment the price. This, it is understood, MacDonald has refused to do.

COLORADO.

Findley's new strike at Cripple Creek is important. It opens entirely new ground. The vein is claimed to be very strong and seven feet wide. The ore is reported as running—or rather assaying—only an ounce and a half. The strike is on the north block. It was made in a south crosscut from the shaft at a depth of ninety feet. The strike is close to the west line of the claim, and is generally conceded to prove beyond question that the Findley contains the big Hull City-Atlanta vein, and at least 500 feet of it. The Steel-smith lease will have a good stretch of it. It lies over 100 feet north of the Carpenter vein.

Rich ore has been encountered in the Tillery lease on the Orizaba. There is a pay streak ten inches wide and very rich in sylvanite, running in the neighborhood of \$3000 per ton.

The Galena mine is running the 500 and 550-foot drifts from its shaft. They also have a number of leasers at work and about twelve men in all find work underground on this property. Several shipments of iron ore have been made recently, and a considerable amount of mill dirt has been sent to the mills at Black Hawk.

IDAHO.

Manager Hunter has received instructions from the London office to begin work on the mill level tunnel, at the De Lamar mine, and

preliminary work has already been commenced in making surveys and arranging to begin the actual work. The compressor now up at the mine will be moved down to the mill, to be placed so that it may be run either by steam or water power, and power drills will be put in place. This means a two years' undertaking, employing a force sufficient to keep the work going continuously. The tunnel will cut the veins in the mines below the lowest present depth attained; will do away with all the pumping plant, and eventually do away with the use of the present tramway and bring all the miners down town.

It seems that a dredging process has at last been found that saves the flour gold of Snake river. The gold in the Snake river is so fine that it takes from 900 to 1000 colors to make one cent, and it is so light that when dry it floats on the top of the water like so much bran. The difficulty of saving a profitable per cent of this gold is therefore apparent, but this dredger seems to do this without trouble. The machine is in operation at Bridge island, near Payette, where it runs day and night.

MICHIGAN.

Michigan Mining Notes.

The Lake Erie Asphalt Block Co. has about completed the construction of the mineral storage bins on the Tamarack stamp and pile. The conveyors and dock are partly finished and will be completed soon. In a few days the work of filling the bins will begin.

Attention will soon be given the old Goodrich mine, which has lain idle so many years. Arrangements are now under way for a resumption of operations at this property. There is known to be a 12-foot vein of hematite of bessemer grade, and besides this there is a large body of silicious ore which will yield about 45 per cent iron.

The Oliver Mining Company has secured an option on the Hartford property, Negaunee, and will immediately proceed to give it a systematic test. The Hartford lies immediately east of the Cambria, and the Cambria ore is pitching in that direction. The Hartford will probably have to sink to a depth of more than 700 feet to catch the extension of the fine deposit now being worked by the Cambria. A diamond drill boring will be made. It will be vertical and located near the old pit at the Hartford.

MISSOURI.

Joplin's Lead and Zinc.

The official figures for the Joplin district show an output of lead and zinc valued in 1898 at \$7,000,000. For the first twelve weeks of 1898 the output amounted to \$2,274,552, and for the first eighteen weeks to May 6, it amounted to \$3,880,264. This proportion, if maintained, would bring the value of the 1899 output to \$12,000,000.

MONTANA.

The Philadelphia Company, that has been working since May 1, digging ditches on More creek, ten miles below Idaho City, has the work completed and is now at work on the bedrock flume. The company has placer ground extending along the creek a distance

of four miles, and it will give big returns next year and some big clean-ups may be made in the coming fall.

Work is progressing rapidly on the new dredge on More creek.

Thomas Barry has put a force of men at work on the Olympia gold quartz mine on Summit Flat.

Considerable development is going on in the ledges at Miller diggings, ten miles north of Banner. The veins are from 20 to 40 feet wide, but the ore is not usually high grade. Mining men, however, say that they are just such properties as companies want. With good-sized mills they will pay handsomely. The district is large and some of the ledges crop for three and four miles in length.

The Moriarty brothers are getting ore out of the Boulder, on Elk Creek, and will start up their 30 stamp mill shortly.

John Kinkaid has a force of men at work in the Elkhorn. They are searching by cross-cuts at a depth of 500 feet for the ore chute that yielded more than half a million dollars from the upper works.

The New England Dredging Company, which is operating on More creek, has sent a drilling machine to Stanley basin to prospect a group of claims owned by it.

William R. Byrne is getting some exceedingly rich free gold ore out of a claim at the head of Deer creek, located by him a few weeks ago.

The drift run from the bottom of the Washington shaft has cut into a body of ore eight feet wide. The rock is all good milling ore. It is very gratifying that the discovery is made that the ore goes down, as the chute was lost eight years ago when work was suspended, since which time the mine has lain idle.—*Anaconda Standard*.

NEVADA.

The sale of the Vina C. group of copper and gold-bearing claims at Contact, Nev., for \$30,000 has just been accomplished by Miss B. T. McMasters, the purchaser being Richard J. Boiles of Colorado Springs. He was one of the original owners of the Mollie Gibson mine of Colorado, from which nearly \$5,000,000 in dividends was derived in about three years, and has been one of the most successful miners in that state.

The new mines discovered by T. J. Bell and J. G. Court, south of San Antonio last spring have been bonded for \$100,000 to H. A. Cohen of DeLamar. There are eight men working on the claims and a fine ledge of rich ore has been struck in the tunnel at a depth of 65 feet. Water has been obtained in the well sunk about three miles from the claims, and everything points toward a steady and successful development of the mines.

NEW MEXICO.

The Last Chance mill, near Mogollon has been started again and is running ten stamps upon a good grade of ore from the Last Chance mine. It is reported that ten new stamps and a lot of other new machinery has been ordered for the mill.

On the Confidence mine near Mogollon the work is confined to development which is being done by sinking shaft No. 2, located about 600 feet from the mouth of the main

adit level. This shaft has attained a depth of 40 feet and it is intended to sink it to a depth of 600 feet, when connections will be made with the main working shaft, which is equipped with the big electric hoisting machinery. When the connections are made there will be large ore reserves opened which will insure a very long mill run. There are several thousand tons of ore in the bins at the mine and mill now, but the management proposes to develop large reserves before starting the mill.

Thomas Cooney and George Schaible have a lease upon the old Silver Bar mine near Cooney. They have repaired the pipe line which feeds the water motor at the mill, and have put all the machinery in perfect order for economical working. The mill has been started and is turning out rich concentrates. The ore is being mined from a winze 90 feet in depth at a point about 450 feet from the mouth of the main adit level. The ore is rich in gold and silver and the concentrates run high in copper.

A 30-ton shipment of gold and silver ore valued at \$1,500 per ton was made from the famous Lookout mine to the El Paso smelter during the past week.—*Albuquerque Journal-Democrat*.

OREGON.

The Twin Springs Mining Company of Idaho, which owns the Deer Lodge mine at the head of Rock creek, about 16 miles west of Baker City, will resume shortly, after a shut down since last February on account of deep snow.

The Deer Lodge mine is situated on the North Pole and E. & E. lead, crossing the mountains at the head of Rock creek, and was purchased last year by the Twin Springs Company from Andy Hansen for \$100,000, \$15,000 of which amount was paid down.

Work done last year made a good showing and the Deer Lodge is considered to be one of the big mines of Baker county.

SOUTH DAKOTA.

Mr. J. Morgan and James Rogers, of Deadwood, are taking out rich copper ore from their mine almost within the city limits of Deadwood on the south side. Two shafts have been put down, one of them 45 feet. The ore runs as high as 60 per cent copper, and the lowest grade is good enough to ship to the smelter. The mine is located directly on the copper belt.

The best cyaniding ore in the country is thought to be found in the low-grade belt at Ragged Top. It is a lime ore and a very high per cent of extraction is given by the process. The ore does not require to be crushed fine, chunks as large as a person's hand going through with a high extraction. The ore is porous and the cyanide solution enters freely. The ore in the district is found from the grass roots down to a depth of 4 to 6 feet and it is easily mined.

There is strong talk of erecting cyanide plants in Yellow Creek, Strawberry, Squaw Creek and Portland districts, and it is practically been decided to build plants in some of these camps. The process will treat about 60 per cent of the Black Hills ores, and it is recognized as the cheapest process, with the possible exception of the stamp mill, in use today. Before the close of the season, there will be no less than eight cyanide plants in

successful operation in Lawrence county, which will have a combined capacity of treating 200 tons of ore per day. One great thing in favor of the process is the cheapness with which a plant can be constructed. Another point in its favor is the small amount of water needed.—*Black Hills Mining Review*.

UTAH.

Work is being pushed on the Coes property, Dugway district, and fifteen to twenty tons of ore is stacked up now ready for shipment.

At the Buckham, Dugway district, the working shaft is following down a streak of high grade ore, running 80 ounces and over in silver per ton.

On the Nellie, Dugway district, some very fine copper ore is being mined, with increasing quantities and values. Some very fine grade ore, which it is thought will assay very high in gold on the Saddle group.

Owing to the over supply of the Highland Boy smelter, the tram was unable to be operated the last day or two. The mine is supplying ore faster than the smelter can handle it.

At the Black Warrior, the ledge is being crosscut 325 feet from the surface with most gratifying results, some very good looking quartz and iron yielding good assays.

A large force of men are at work on the north and south inclines of the Helvetia. The values continue to improve, and large bodies of good milling ore are being blocked out.

The Crown Point is looking fine. The tunnel is in 360 feet. They have stringers of ore coming in, and it looks as if they will break into bodies of ore at any minute.

WASHINGTON.

The Insurgent.

Big news comes from Republic concerning the recent development of the Insurgent. Since the first of July the value of the property has been doubled by the development in following the vein from the Lone Pine side line into the Insurgent fraction. The vein turns to the north, and is running parallel with the Black Tail vein, where the latter courses through the Insurgent. July 14th, the Spokane office of the company was advised by Superintendent Ryan that the mine showed five feet of ore, carrying higher average values than have yet been found at similar depth for so great a distance in the camp.

"It will be remembered," said President Dennis, of the Insurgent Company, "that the east drift of the Lone Pine, on one of its cross veins, was driven 30 feet beyond the west line of the Insurgent and into the Insurgent ground. The Insurgent company continued this drift in an easterly direction for a distance of about 50 feet, when about July 1 the vein began turning sharply to the north, just as it approached near to the Black Tail vein, which runs in a northerly and southerly direction for a distance of 1000 feet across the Insurgent ground. Instead of intersecting the Black Tail vein, as it was supposed the crossvein would do, it turned to the north and is now running due parallel with the Black Tail vein, both of these veins thus apexing on the Insurgent ground."

"The news telephoned by Superintendent

Ryan was to the effect that the drift had been driven for 30 feet, following the parallel vein, beyond the point where the vein turned, and that its width the entire distance was a clean five feet between clearly defined walls."

STEADY HIGH VALUES.

In the course of the 30-foot run since July 1, eight sample assays across the full width of the vein have been taken with the following results:

July 1: Silver, \$6.12; gold, \$75.23; total, \$81.35.
 July 3: Silver, \$12; gold, \$90.12; total, \$102.12.
 July 4: Silver, \$8.88; gold, \$121.53; total, \$130.41.
 July 5: Silver, \$8.22; gold, \$142.60; total, \$150.82.
 July 6: Silver, \$1.96; gold, \$40.52; total, \$42.48.
 July 7: Silver, \$4.32; gold, \$33.07; total, \$37.39.
 July 8: Silver, \$7.50; gold, \$84.74; total, \$92.24.
 July 11: Silver, \$8.52; gold, \$105.41; total, \$113.93.

The average of the eight assays is \$93.82, and each assay is reported by the superintendent to be an average of five feet of ore.

WISCONSIN.

North Wisconsin Company Merged Into Chippewa Copper Mining Company.

Secretary Woodward has forwarded a copy of a statement of the plan of transfer of the North Wisconsin Mining Company to the re-organized company, the Chippewa Mining Company. It gives all the details of the transfer, and holders of stock in the old company will soon receive certificates in the new.

The new company is to pay all the debts of the North Wisconsin Company and the latter is allotted 1,875 shares in the new company. Walter Fowler made the deal, and is authorized, according to the statement, to issue the vouchers for which stock in the new company will be exchanged as soon as they can be prepared for delivery. The ratio has been decided and Mr. Fowler will make out vouchers at any time. Certificates may be sent to F. A. Woodward, at Boston, if so desired, and the new stock will be sent direct from the Boston office.

FOREIGN MINING NEWS

CANADA.

The most important mining deal that has ever taken place in Ontario has just been closed. The Graham-McKellar group of iron properties on the Atkakan range, consisting of sixteen locations containing 1,200 acres and covering four and one-half miles of the range, has been bonded to Ronald Hunter, representing American capitalists, for \$350,000 for eighteen months, that the parties may test the properties. The sum of \$10,000 was paid in cash for this privilege.

LOWER CALIFORNIA.

It is said, on the authority of Capt. W. M. Freeman of San Diego that negotiations for the sale of four copper mines in Lower California for a half million dollars to Martin, White & Co., of London, England, have been

going on for some time past and that the deal is expected to be consummated within a few days. The mines are the San Fernando, Peabody, Moromosa and Butler, the first-named belonging to Gen. E. C. Humphreys and Mr. Brophy, the latter of Arizona, and the other three to Capt. W. M. Freeman.

GENERAL NEWS.

Wireless telegraphy will perhaps have its first great test during its holding of the National Export Exposition, to be held in Philadelphia during the fall. No effort will be made to duplicate the Eiffel Tower, but a structure of some kind is being considered that will hold up a copper wire 1000 feet in the air.

It is claimed by Marconi, the inventor of wireless telegraphy, that if this is done by the Exposition people, he will telegraph by flashes of electricity from the top of Eiffel Tower, in Paris. A feat of this kind successfully performed, will be the wonder of the world and worth crossing the ocean from Europe to see.

The Cling-Surface Manufacturing Co., of 167-172 Virginia Street, Buffalo, New York, report rapidly increasing sales, not only in this country but many orders are being received from Australia, European and South American countries, with a fast-growing business in Mexico, all seeming to prove that "The days of tight belts are over" is having the backing of belt users. A recent letter of Brown, Durrell & Co., Boston, voices the general verdict: "Having tried Cling-Surface on my 12" dynamos belt, I have been able to carry full load with 22" sag on belt, with no perceptible slip. It surpasses my expectations and I can cheerfully recommend it to do all that is claimed for it if directions are followed."

ELECTRICITY IN COAL MINING.

BY JOHN PRICE AND FRANK P. THOMPSON.

The Davis Coal and Coke Company.—The Davis Coal and Coke Company's plant at Thomas, West Virginia, is so efficiently equipped with this compound electric service as to be worthy of a short description. The company operates two miles at Thomas, the Thomas drift and the Davis shaft, and one at Coketown, a drift.

The power station is a roomy brick building containing an Ames 200 hp. engine direct connected to a 150 kw. 500-volt direct-current generator; two Atlas cycloidal heavy duty engines of 150 hp., one of which is belted to a 100 kw. 550-volt three-phase alternator, and the other to a 78 kw. 550-volt direct-current generator. The last mentioned generator has been installed temporarily in the place of a second 100 kw. three-phase 550-volt alternator which has been operated in parallel with the other three-phase alternator. This 75 kw. machine is used to help the haulage generator.

The coal is hauled by horses from the "rooms" to convenient points where it is collected into "trips" of from six to twelve "wagons." The inside haulage motor, a 14-ton G. E. T. M. 35, takes these "trips" and hauls them to a central point of the breast and there they are combined into larger "trips" of about 15 to 35 wagons and hauled to the mouth of the mine by another similar motor. Each of the haulage motors gives

3,500 lbs. draw-bar pull. At Coketown, two miles away, another 14-ton haulage motor is installed.

The alternating three-phase generator is used for operating three 10 hp. induction motors for driving small pumps, one 5 hp., one 10 hp., two 20 hp., and one 30 hp. induction motors for operating elevators; one 5 hp. induction motor for a car lift, and three G. E. chain coal cutters. The induction motors for driving the pumps are located at the foot of the side entrance both at Thomas and Coketown. One 10 hp. induction motor connected to a pump having a 5-inch suction 250 feet long, and a 4-inch discharge pipe, 750 feet long, with a total elevation of 98 feet, pumping 106 gallons per minute, was tested and found to take 11,000 watts. Induction motors are also used for driving fans and conveyors which carry the slack coal from beneath the screens to the bins, which is stored until needed to charge the coke ovens.

Haulage.—Electric haulage equipments have been so long in use as to be now in a thoroughly good state of development. Even yet, however, the following faults may be observed in some of the machinery: Poorly acting brakes, unwieldy arrangements of the various controlling levers and trolley poles, brake rods or other projections too close to the track, and unsatisfactory speed and power regulation. Although some of these seem of small importance, any one of them is apt to seriously interfere with efficient work. The brakes on a mining locomotive should be very powerful and quick-acting, likewise the arrangement of the motorman's seat, brake-handle, controller and sand-box lever should be such that the motorman can control his machine with the greatest possible dispatch and ease. Locomotives have been placed in mines with absolutely no provision for the motorman, and others where the lever arrangements are so unwieldy as to make the quick control necessary to safe operation impossible.

In large coal operations economy is often to a large extent dependent upon the rapidity with which the wagon trains can be moved. Heavy grades both in favor of and against the load are frequently to be found. In order to draw a large load and make quick time, the design and control of the motor should be such as to give an unusually great draw-bar pull at low speed, and at the same time have points of comparatively high speed. This condition is not properly met at present by all of the mining locomotives in operation. In one mine, which has come recently under the writer's observation, a slightly different design and arrangement of control in the locomotive would permit the handling of much larger loads at a great saving.

The power-house load curves of haulage are very similar to those of other electric railway work.

Coal Cutting.—Under suitable conditions, under-cut coal cutters will permit a great saving of labor, and therefore of expense, in soft coal mining. But in a large number of cases such cutters have been thrown out as unsatisfactory, and have been replaced by compressed air drills or other apparatus. In mines where curve veins abound, they have ordinarily given much trouble. The cutter strikes the clay vein and sticks, or, worse, bends, causing it to wedge tightly. This necessitates digging out with the pickaxe and expensive repairs. The most serious difficulty seems to arise from poor mechanical design and construction, combined sometimes with electrical faults. It should be possible

to overcome these difficulties. In one mine where great trouble of this nature was previously experienced a new set of machines is now giving great satisfaction.

In cases where under-cutters cannot be made to work, there seems no valid reason why electric drills could not be substituted, which would give as good service as compressed air, while at the same time preserving the valuable advantage of an all electrical plant.

Electric Pumps.—Electric pumps run by induction motors give very satisfactory service. The conditions met with in mining often necessitate frequent re-location of the pumps, and in this respect the electric pump is by far the most satisfactory. The attention required is certainly a minimum. A particular pump tested ran about ten hours per day, and the only attention required was that necessary for starting, stopping and lubrication. Some mine owners have objected seriously to the electric pumps. In most cases these objections have been due to the compact arrangement of the pump and motor. In one pump which came under our observation, a 10 hp. pump, which was bought with the motor, was replaced by the water end of a steam pump with a great improvement in the service. If electric motors were made to suit the pumps, and not the pumps to suit the motors, it would go far toward obviating the most serious objections. When the pump must be of large capacity, and when it can be located within a reasonable distance of the steam plant, a steam pump would probably show greater economy.

Wiring and Pressure.—Wiring in mines is subject to certain restrictions which do not apply in ordinary wiring. There is no doubt that the 550 volts used for haulage is dangerous for horses. It is therefore customary in many mines to shut off the trolley current while mules are being taken in or out of the mines. If a polyphase system is installed for operating cutters, pumps, etc., in the mine, it should be run through the air courses and not through the main gangway. A pressure of 550 volts alternating is much more dangerous than the same direct current pressure. The class of labor which is usually employed in the soft coal fields is of a low grade of intelligence, and many instances are recorded of serious personal injury or loss of life from accidental or intentional contact with the wires on both 500 volt A. C. and D. C. service. Although the mine laborers may have been repeatedly warned of the danger, they continue careless about the wires. When the mine roof is low enough to be reached by the men, the common practice is to run trolley wire along one side, supported by the usual hangers. When feeders are necessary, they should be run along the same side. The other side of the roof should be kept clear.

Ordinary bare wire is preferable in mine work. The best insulation, rubber compounds, deteriorate rapidly under the action of the sulphur water. Any other insulation soon becomes inefficient, owing to the moisture which is always present in a mine.

In large operations such as those at Windber, where 20 miles of trolley are already in service, it is undoubtedly advisable to use at least 500 volts pressure for haulage. The polyphase power should preferably be used at a lower pressure for the sake of safety to employees. This could often be done, without an undue expenditure of copper, by carrying high-pressure lines overhead to air ducts, or through unused passages to suitable points for distribution, where the pressure could be

lowered by transformers. When it is necessary to run wires down a shaft through which coal is to be hoisted, the best practice would be either to use lead-covered cable, or wire which has been insulated with rubber, heavily braided, and drawn into an iron conduit having the ends hermetically sealed. In many instances when wires have been installed without such protection, in old shafts, trouble has resulted from the breaking of the wires, caused by lumps of coal falling down the shafts, etc.

Skilled Employees.—Too much pains cannot be taken to employ careful men as motormen for the haulage motors. The mine track is far from being up to the street railway standard. To haul a long trip of wagons over a bad track requires careful handling of the motor. The motorman should be trained to study his track and his load, and know when and where to let his trip run slack and where to keep the couplings taut. A case came under the writer's observation where a careful motorman handled a trip of 15 loaded wagons, while another motorman stalled with 10 wagons on the same stretch of track. This matter is very important from the mine owners' point of view. The cost of driving gangways and shafts is considerable, and any method which will allow of an increase in the quantity of coal which can be taken from a single opening in a given time adds very materially to the mine owners' profits.

Lighting and Signals.—As the lighting of a mine is a comparatively simple matter, it is scarcely necessary to consider it here. The universal method is to light up all switch points, and only other places of exceptional importance. In large mines using a number of locomotives, an efficient system of signals should be used in the main headings. This should be an automatic block system. Mr. A. A. S. McAlister of Windber, Penn., has worked out such a system, using incandescent lamps between trolley and rails, which is working admirably.

Efficiency.—The question of efficiency, from a fuel standpoint, is of comparatively small relative value, as the difference in actual cost in fuel in the different systems is insignificant when compared with other expenses. Data available seem to indicate, however, that the all-electric systems lead in this respect. As regards the total commercial efficiency, including maintenance, labor, interest and depreciation, there can be no doubt but that the compound electrical system, using polyphase and direct currents, will give the best results.

General.—The data and statements presented in this short paper are gathered from personal experience in the mines, from mine superintendents, and from student thesis work carried on under the supervision of the Pennsylvania State College. In writing the paper it was not intended to give a complete detailed treatise on the use of electricity in mines, but to outline the most important conditions and facts bearing upon such utilizations.

THE SELF-COOLING CONDENSER.

(BY THOMAS L. WILKINSON.)

The idea of the condenser was to apply currents of air to the heated discharge water of the condenser, and so, in this cooling process, the air became the means of condensation instead of the water, as usually employed. For this purpose a chamber was built of wood, in such a way that the discharge from the condenser should cover large surfaces, allowing ample contact with the current of air supplied by an exhaust fan. As the water in a heated state flows over the surfaces, the air absorbs the heat of the water, and so evaporation takes place quickly. In these experiments, the cooled water required, was practically equal to the amount of feed water required for the boilers. Here was a saving of twenty-five times the amount of water usually required for condensing purposes. This was the first of the trials which showed that a pound of water condensed a pound of steam. An approximate analysis of the transfer of heat in these experiments, with table of results, are as follows:

TABLE OF AVERAGE RESULTS.

Boiler pressure in lbs. per sq. in. per gauge.....	65
Temperature in Fahrenheit degrees:	
Steam.....	311
Cooling water—initial.....	60
Water in pans above diaphragm.....	140
Water in pans below diaphragm.....	115
Hot well.....	149
Air.....	70
Working strokes of air pump.....	90
Rev. of exhaust fan per minute.....	740
Velocity of air in feet per minute.....	2300
Quantity of air moved in cu. ft. per min.....	6500
H. P. expended in driving fan.....	1/2
Barometer in inches.....	28
Cooling water used per hour in lbs.....	1350
Steam condensed per hour in lbs.....	900
Vacuum in inches of mercury.....	16 1/2
Vacuum reduced to Barometer at 30.....	18 1/2

APPROXIMATE ANALYSIS.

Heat in 1 lb. steam at 311=1208.3 B. T. U.	
Heat in 1 lb. water at 149=149.0	
Heat rejected by 1 lb. steam=1208.3-149	
1059.3	
Of each pound of water evaporated in condenser probably 5.7 is at 140° and 2.7 at 115°.	
Heat absorbed by 5.7 lbs. of water in being warmed from 60° to 140°=57.1.	
Heat of vaporization of 5.7 lbs.=725.5.	
Heat absorbed by 2.7 lbs water in being warmed from 60° to 115°=15.17.	
Heat of vaporization of 2.7 lbs.=299.7.	
Total heat absorbed by 1 lb. water=57.1	
+725.5+15.17+299.7=1097.8.	

Thus showing the cooling water to be practically equal to the steam used by the engine. These tests showed that the application of methods of this or similar kind to be very economical and at a very small cost.

The floor space required for the cooling apparatus was small.

Enough was shown by these experiments that this method of cooling was commercially practicable. Two companies have gone into it, and many power and electric light plants are now using the self-cooling condenser. See our issue of July 1st.

The apparatus consists of two parts—the condenser—jet or surface—and the cooling tower.

The cooling tower is now made of sheet iron or boiler plate, and cylindrical in form.

The size of the condenser and tower depends on the size of the plant it is operated with.

The upper three fourths of the tower is filled with cylindrical tiling, 3 to 6 inches in diameter, and from 12 to 24 inches long. The tiling is so arranged that the water running down will cover all the exposed surface. At the bottom of the tower is a tank or well to collect the falling water. At the bottom and side of the tank is a fan which blows air up through the tower and tiling.

The exhaust from the engine passes into the condenser, where, mingling with the injection water, it is condensed. This condensed steam and injection water then enters the tower, at the side and above the fan, and passes up through a central pipe, to a revolving distributor, near the top of the tank, just

above the tiling. This distributor is mounted on ball bearings, and has four arms of piping, perforated, and swings or revolves in a manner similar to a lawn sprinkler. So the distributor revolves, by the reaction of the jets of water which fall on the tiling and are uniformly distributed. As the heated water runs down through the tiling the fan is blowing air up through the tower, and depriving the water of its heat and evaporating some.

Three factors enter into the cooling of the water:

I. Radiation from the sides of the tower.
II. Contact of the cool air blown through the tower.

III. Evaporation.

Evaporation is the most important of the three, as the evaporation of one pound of water in this way carries off 1,000 heat units, and condenses one pound of steam in the condenser.

Considerable cooling is done by radiation and contact of the cool air blown through the tower, so that the evaporation will be less than the amount of steam condensed in the condenser, and so the supply of extra water is not needed.

The cooled water is collected at the bottom of the tower, and ready once more to serve as injection water to the condenser. An overflow pipe is provided to carry off oil that collects.

The floor space occupied by the tower is not excessive. A 1,000 horse-power plant will require a tower 17 feet in diameter by 30 feet high. The collecting tank at the bottom of the tower is about 8 feet in diameter by 7 feet deep, and holds about 2,000 gallons of water, which is sufficient to start the plant.

The power to run the fan will be 2 per cent and under of the power of the engine, and may be operated by electricity, shaft and belting, or a small independent steam engine, as may be most desirable.

In some experiments made by Mr. Alberger, the temperature of the cooled water, observed under different ranges of temperature of the air are as follows:

Temp. of Air.	Aver. Temp. of Cooled Water.	Difference between Air and Cooled Water.
20° F.....	45° F.....	25° F.
30.....	50.....	20
40.....	56.....	16
50.....	62.....	12
60.....	70.....	10
70.....	78.....	8
80.....	87.....	7
90.....	97.....	7
95.....	100.....	5

"It will be noticed that, as the temperature of the air increases, the temperature of the cooled water becomes nearer that of the former. With the temperature at 20 degrees Fahr. there is a difference of 25 degrees, and at 95 degrees Fahr., the difference is only 5 degrees, when circulating practically the same volume of air, and carrying off the same amount of heat, the circulation of the water having been reduced as the temperature is lowered. This shows plainly the activeness of the evaporation at the higher temperatures, when the air has a largely increased capacity for moisture."

In this high altitude, (Colorado) where the air is almost always very dry, its capacity for absorbing moisture is extremely large. The result would indicate a better showing than indicated by the above table.

Of a large plant, in which this system of using the water over and over again has been in constant use since 1895, some figures will be of interest.

The cooling tower was placed in the yard

back of the plant, about 60 feet from the condenser. Compound engines, with a total of 750 H. P., were employed, and during the hot months a vacuum of 25 and 26 inches was easily maintained. The cooling tower is 15 feet in diameter by 33 feet high. The circulating water amounts to 1,000 gallons per minute, and the fan circulates about 100,000 cubic feet of air per minute. The whole system contains about 2,000 gallons of water. The temperature of the tank varies from 50° to 75° Fahr. The water to be distributed in the cooling tower comes in at 110° to 115° Fahr.

I have worked up some data, given by Mr. Alberger, in reference to this system, employed by an eastern manufacturing concern.

The engine is a cross compound Harris Corliss, having a 16x36 inch high-pressure steam cylinder and a 30x36 inch low-pressure steam cylinder, making 80 revolutions per minute, with 100 pounds boiler pressure.

The engine running non-condensing gave the cards showing the following:

The horse-power of the high-pressure cylinder was 109.66 and that of the low-pressure cylinder was 65.54, giving a total of 175.2 H. P., when running non-condensing.

The average mean effective pressure of the high-pressure cylinder was 36 pounds, and that of the low pressure cylinder was 6.375 pounds.

In '95 this engine was changed from running non-condensing to condensing. A condenser was put in, and the cooling tower was placed some 150 feet from the condenser, the circulating fan being run by an extension of the shafting from the factory. The speed of the fan could be regulated to suit the conditions of the weather, or could be stopped at any time.

* * * * *

In running non-condensing the steam was admitted for 15 inches of the stroke, while condensing it was admitted but 9 inches, showing a saving of 6 inches, or a saving of 40 per cent, roughly. Cylinder condensation was slightly increased on account of terminal pressure from 29 to 10 pounds.

The fan consumed about 2 per cent of the power under the most severe conditions. The air pump consumed 5.7 H. P., or less than 3 per cent of the total H. P. of the main engine. The total of 5 per cent, subtracted from the gross saving, leaves 35 per cent, or an extremely good showing for condensation by this system.

Cards, taken while the engine was running non-condensing, show that the high-pressure cylinder developed 105.28 indicated horse-power, and the low pressure cylinder 90.6 indicated horse-power, or a total of 195.88, as 175.20 indicated horse-power non-condensing.

In both cases, the engine, aside from condensing, was operated under the same conditions of pressure and speed.

The difference, then, of 20.68 horse-power, in favor of condensing, shows an advantage of nearly 12 per cent in power. As the number of cards I had was limited, and more and better cards might have shown an even better percentage of gain by this condensing system. Even 12 per cent would, in my judgment, warrant the introduction of this condensing system.

The gain of 35 per cent net, as shown by Mr. Alberger, relates, of course, to the steam saving, while the 12 per cent saving in power, as shown by my figures, results in more power on less steam.

Mr. J. H. Vail, Engineer in Chief of the Penn. Light, Heat & Power Co., of Philadel-

phia, in his paper on "Cooling Tower and Condenser Installation," describes the installation of this system of condensation.

The plant in question was equipped with 27 boilers, each 48 inches in diameter, 20 feet long, with twenty-two 5-inch tubes. The engine capacity, and the load on the station, taxed all the boilers to the limit of their steaming capacity.

It was first proposed to enlarge the building and increase the number of boilers, but after an investigation by Mr. Vail, it was decided to put in a cooling tower and condensers, leaving the boiler capacity as it was, thus saving the cost of additional boilers, besides the building, and obtaining a better economy, and, at the same time, greater capacity for production.

(To be Continued.)

Latest Mining Decisions.

Prepared by Andrews & Murdoch, Berrien Springs, Mich.

A temporary injunction against the removal of ore from the mining land of a complainant will not be dissolved because of defendant's solvency. *Mabel Min. Co. vs. Pearson Coal and Iron Co.*, 25 So. Rep. (Ala.) 754.

A mine owner is liable for the death of an employee caused by the superintendent's failure to do what due diligence required of him, because he was acting under excitement. *Bessemer Land and Improvement Co. vs. Campbell*, 25 So. Rep. (Ala.) 793.

A mine superintendent will be presumed to have authority to purchase all appliances necessary to extinguish a fire to save the life of an employee, in the absence of evidence to the contrary. *Bessemer Land and Improvement Co. vs. Campbell*, 25 So. Rep. (Ala.) 793.

An employer's failure to use due diligence in rescuing an employee while in a mine in which a fire is started is not excused by his acting pursuant to the unanimous opinion of other operatives. *Bessemer Land and Improvement Co. vs. Campbell*, 25 So. Rep. (Ala.) 793.

An employee, placed in imminent peril, is not guilty of contributory negligence, precluding a recovery for his employer's negligently causing his death, by mistakenly failing to avail himself of a means of escape, where he acted as a man of ordinary care would have done under the circumstances. *Bessemer Land and Improvement Co. vs. Campbell*, 25 So. Rep. (Ala.) 793.

In an action for causing an employee's death by suffocation in a mine, an allegation that the superintendent negligently failed to take due and proper precautions to prevent a fire from causing the suffocation is a sufficient allegation of negligence, as an averment of specific negligence is not required. *Bessemer Land and Improvement Co. vs. Campbell*, 25 So. Rep. (Ala.) 793.

Where a fire is raging in the middle of a mine, while an employee is below the fire, it is the mine owner's duty to telegraph to a distant city and hire a special train to obtain appliances with which to extinguish the fire, if such is the only means of saving the employee's life, as the rule of diligence, when life is at stake, requires the doing of everything that gives reasonable promise of its preservation, regardless of difficulties and expense. *Bessemer Land and Improvement Co. vs. Campbell*, 25 So. Rep. (Ala.) 793.

In an action for causing the death of a mine employee through the employer's failure to extinguish a fire by water, while the em-

ployee was 400 feet below the fire, evidence that several months previously a pipe line to a river had been laid is admissible to show the feasibility of getting water through that line, if it still existed, or through a line to be relaid, if it had been taken up, in time to extinguish the fire before the employee's death. *Bessemer Land and Improvement Co. vs. Campbell*, 25 So. Rep. (Ala.) 793.

In an action for causing the suffocation of an employee, while 400 feet below a fire in a mine, by smothering the fire by bratticing a slope and air course, there was evidence that the employee could have lived a few days, until the employer could have procured appliances for extinguishing the fire with water. *Held*, that a witness' testimony that he was satisfied that the return air course was on fire, and the testimony of the superintendent that at the time he bratticed up the mine there was nothing he could have done to save the employee, were properly rejected, as being mere conclusions. *Bessemer Land and Improvement Co. vs. Campbell*, 25 So. Rep. (Ala.) 793.

A fire originated in the middle of a mine, and volumes of smoke rose from the air shaft. A short time thereafter men passed up a slope parallel with the air shaft without much difficulty with smoke, until they reached a point opposite the fire. There were no appliances at hand for extinguishing the fire by water, but they could have been obtained in a few days by telegraphing. One at the bottom of the mine, 400 feet below the fire, could have lived several days while the fire was raging, if it had originated in the air shaft, and had quickly penetrated to the slope, and the air shaft was large enough to carry the smoke and gases as rapidly as they were generated. The mine superintendent smothered the fire by sealing up the air shaft and slope, and an employee who was below the fire was suffocated. *Held*, a question for the jury whether the superintendent was guilty of negligence justifying a recovery. *Bessemer Land and Improvement Company vs. Campbell*, 25 So. Rep. (Ala.) 793.

PERSONAL NEWS ITEMS

DON MANUEL TAMBOREL of Sierra Pintá mine in the Altar district, Sonora, Mexico, has gone to Guaymas, to attend to the shipping of a consignment of machinery to the mine, which is about eleven leagues from the coast.

HON. R. C. CHAMBERS, of Salt Lake City, Utah, has recently returned from San Francisco, Cal.

R. H. POSTERLTHWAITE of San Francisco, Cal., recently left for Breckenridge, Colo., to install the third dredger in the placer mine of the North American Gold Dredging Co. Last year the Risdon Iron Works of San Francisco, Cal., placed two of these dredgers in position.

J. J. POMPA of Altar, Sonora, Mex., has recently sold his gold property in the vicinity of that place for \$17,000.

JAS. DONOHUE has been appointed superintendent of the Mammoth mine under the new management.

WM. MELCZER, of Phoenix, Ariz., has recently returned from New York, where he went to arrange for the sale of the Copeta mine.

MAJOR J. E. JACKSON, who for some time past has been associated with the Branch Kansas Smelting and Refining Co. at Salt Lake City, Utah, has recently been appointed manager of the Mexican Ore Co., with headquarters in the City of Mexico.

W. H. HAMPTON and C. T. STEVENSON of Grants Pass, Oregon, recently left that place for a business trip through California.

CAPT. DELAMAR and JOHN HAYS HAMMOND are expected in California next week.

FINANCIAL NOTES.

Average Prices of Metals

In New York per 100 lbs. from January 1st, 1899:

Month	Copper	Tin	Lead	Spelter
January	14.75	22.45	4.15	5.34
February	15.50	24.30	4.49	6.28
March	17.54	23.82	4.37	6.31
April	18.03	24.08	4.31	6.07
May	18.25	23.76	4.44	6.88
June				
July				
August				
September				
October				
November				
December				

Average Monthly Prices of Silver.

In New York per ounce Troy, from January 1st, 1899, and for the years 1898 and 1897:

Month	1899	1898	1897
January	69.36	64.72	64.72
February	69.42	66.07	64.67
March	69.64	64.90	63.06
April	69.10	66.02	61.85
May	61.23	66.98	60.42
June		68.61	60.10
July		69.06	59.61
August		69.54	59.19
September		66.68	55.24
October		60.42	57.57
November		60.60	57.91
December		60.42	58.01
Year		68.26	59.79

Comparative statement of the circulation in the United States on June 1st, 1899. Comparison being made with statement on May 1st, 1899.

	June 1.	Changes.
Gold	\$724,353,177	I. \$23,204,735
Silver	133,479,197	D. 328,322
Legal Tenders	311,095,424	D. 961,981
Treas'y & N't'l B'k N'tes	331,219,350	D. 1,216,868
Totals	\$1,500,076,178	I. \$20,697,564

Gold and Silver certificates and currency are not included in this table. By adding the amounts given in this table with those in the following will give the total amount coined or issued. The

figures herewith are furnished by the Bureau of Statistics Treasury Department.

Comparative statement of changes of money in United States Treasury during June 1st 1899, comparison being made with statement, on May 1st, 1899.

	June 1.	Changes.
Gold	\$139,459,075	D. \$18,666,234
Silver	433,200,266	I. 2,469,432
Legal Tenders	35,585,592	I. 961,981
Treas'y & N't'l B'k Notes	4,952,689	I. 73,949
Totals	\$602,197,652	D. 15,190,472

The Gold and Silver bullion on hand in the Treasury is not included in this statement.

Gold and Silver Exports and Imports.

At all United States ports, for the month of May, 1899, and eleven months ending May, 1898, and 1899:

	MAY.
Gold—	1898
Exports	\$109,157
Imports	\$1,322,111
Excess	I. \$13,212,954
Silver—	1899
Exports	\$4,184,432
Imports	\$1,574,479
Excess	E. \$2,609,953

ELEVEN MONTHS ENDING MAY.

	1898	1899
Gold—		
Exports	\$15,030,862	\$16,613,759
Imports	\$17,061,062	\$5,459,917
Excess	I. \$102,030,200	I. \$69,333,156
Silver—		
Exports	\$50,948,599	\$52,475,756
Imports	\$28,898,978	\$8,779,663
Excess	E. \$22,049,611	E. \$23,696,093

This statement includes the exports and imports at all United States ports, the figures being furnished by the Bureau of Statistics of the Treasury Department.

* WANTS *

Advertisements of this class containing not more than five lines will be inserted for not exceeding three months in any year, free of charge, to all paid-up annual subscribers. Other than above \$1.00 per month. Advertisements not accepted for less than one month.

COPPER MINE. State full particulars in regard to development work location, distance from water, price of fuel, character of ore and returns from shipments. Must have at least 1500 feet of development work. Send all information possible. Address,

JAMES HOWARD,
Care JOURNAL Office,
150 Nassau St., New York, N. Y.

GOLD mine anywhere in United States, must have at least 1000 feet of development; where coal is not over \$6.00 per ton or wood \$4.00 per cord delivered; plenty of water; no objection to low grade ore if profit can be made by having large plant to amalgamate and concentrate; want 6 months working bond; no property considered unless owners are prepared to deposit certified check for expenses of engineer if property is not as represented. Address with price and full particulars

J. E. M., Journal Office,
150 Nassau Street,
New York, N. Y.

METALLURGIST and Chemist, ten years experience, assaying, ore buying and smelting, at present engaged with large pyritic smelting company in Mexico, desires engagement in the States or British Columbia. Address: "W. H. C." JOURNAL Office.

NOTICE TO STEAM USERS.

The National Association of Stationary Engineers is prepared to furnish Engineers of guaranteed ability for any plant in the city or elsewhere. Give us a call. Address: J. T. CHAMBERS, Sec'y, Engine Room City Hall. Tel. Main 657. Los Angeles, Cal.

METALLURGIST and experienced Assayer and Chemist, with practical experience in Copper and Lead smelting, desires position. Speaks Spanish, highest references, address "Globe", JOURNAL Office.

EXPERIENCED man desires position, who can install, run and keep in repair, Steam, Electrical and Mining machinery, has knowledge of assaying and office work. References. Address: W. H. K., McCLOUD, CAL.

FOR SALE

A GROUP of 4 Copper claims in Northern Arizona. By-product of gold and silver, recently discovered and show great promise will sell at a great bargain. E. R. HOTSPRINGER, DEWEY, ARIZ.

TRIMAIN Two Stamp Steam Mill at Tucson, Arizona, 15-H. P. Boiler Pump and every thing complete, set up ready for work. In excellent condition, used less than six months. Address DEWDING MINING MACHINERY CO. Kansas City, Mo.

ANTIMONY BISMUTH PROSPECTORS having locations of this nature and wishing to sell at once for cash, will do well to address with full particulars, P. O. Box 2078, SAN FRANCISCO, CAL.

A VERY valuable, extensive Lead Mining Property in Southwest Virginia. Shafts sunk over 200 feet and actual work has demonstrated richness of veins and purity of ore. Address: GEORGE FRANK, Baltimore, Md.

FOR SALE AT A BARGAIN.

A 60-TON copper Smelting Plant, consisting of two 30 ton furnaces, one of which has new seamless liner. Plant is complete in every detail. Also an 80-ton Silver-Lead Furnace, entirely new, never having been set up. All of the above located immediately adjacent to railroad. Require of GARRETT, WORTHEN & Goss, dealers in Mining and Mill Supplies, Tucson, A. T.

The Cleveland Mining and Stock Exchange Co.

New England Building, Cleveland, Ohio.

A Reliable Information Bureau for Miners and Investors to obtain FACTS Regarding Capital and Mines. Stocks and Mines listed. Send for prospectus.

Morgan-Watson Mining and Construction Co.

809-810 New England Building, Cleveland, Ohio

MINES AND STOCKS { We Buy, Sell, Lease and Bond Mines of all kinds.
We Buy, Sell, and Negotiate sales of mining and other stocks.
We Furnish machinery to work good mines under special arrangement.
We Furnish Capital to develop mines.

JAMES IRVING & CO.

REFINERS

ASSAYERS

Largest and most complete establishment in Southern California Cyanide and Mill Test.



Mint Prices paid for Gold and Silver Bullion. Returns made within four hours after receipt.

128 N. Main Street (Old Location.) Los Angeles, Cal.

ALL THE MINING CAMPS OF UTAH AND COLORADO ARE LOCATED ON OR REACHED BY

The Rio Grande Western Ry.

THE SHORTEST, QUICKEST AND MOST DIRECT ROUTE TO

MERCUR AND CRIPPLE CREEK

MERCUR:

The Johannesburg of America, New and Wonderful Camp only 45 miles from Salt Lake City, Utah.

CRIPPLE CREEK:

The Greatest Gold Camp in the World, only six years old and two hundred shipping mines in the district.

P. R. WADLBICH,

GENERAL PASSENGER AGENT,

Salt Lake City, Utah

ORE TESTING

Complete mill for testing ores on practical scale by all processes to determine the best process adapted to treating any ore submitted. Processes in use investigated to overcome unnecessary losses, etc.

RICKETTS & BANKS,

Metallurgists & Chemists

No. 104 JOHN STREET,

NEW YORK CITY

See

Mining Stock Quotations

Page 21


John Wigmore & Sons Co.

HOISTING MACHINERY

Ore Cars, Ore Buckets and Steel Rails

117 to 123 S. Los Angeles Street,

LOS ANGELES, CAL.



LARGEST GASOLINE PUMPING PLANT IN THE WORLD

The illustration shows the gigantic pumping plant recently built by the Hercules Gas Engine Works at the Packer Ranch, Colusa Co., 80 h. p. Hercules Engine, pumping 7200 gallons a minute, 27 feet high. Burns Gasoline or Distillate oil. Cheapest power known. Gas, Gasoline and Oil Engines, 2 to 200 h. p. Send for Catalogue. HERCULES GAS ENGINE WORKS, 210 Bay St., San Francisco.

MINING STOCK QUOTATIONS

BOSTON

Adventure	10.00	Mass	11.00
Aetna	5.00	Merced	9.00
Allouez	5.50	Mohawk	28.00
Anaconda	50.50	Napa Quicksilver	9.25
Arctadian	56.00	Old Colony Min	10.25
Atlantic	32.00	Old Dominion	37.00
Baltic	31.00	Oceola	88.75
Bingham	11.50	Parrott	57.50
Bonanza	2.50	Pioneer	2.50
Boston & Mont	350.00	Quincy	150.00
Breece	2.00	Rhode Island	7.25
Butte & Boston	77.00	Santa Fe	11.57
Calumet & Hecla	789.00	Santa Isabel	14.25
Catalpa	35	Tamarack	200.00
Centennial	33.37	Tecumseh	5.25
Cochiti	12.00	Tri-Mountain	10.50
Copper Range	45.10	Victor	4.50
Crescent	30	Victoria	5.50
Dominion Pref.	110.50	United States	21.00
Franklin	19.50	Utah Mining	43.25
Gold Dredging	34.50	Washington Ming	2.25
Humboldt	7.75	White Knob	11.50
Isle Royale	45.00	Winona	13.50
Melones	4.00	Wolverine	45.50
		Wyandotte	5.50

ROSSLAND, BRITISH COLUMBIA.

Brand'n & G'd Crk	30	Kootenay Gold F.	—
Brit-Amor. Cor	6.25	Lewick	—
Brit-Col Cor	6.00	Lity May	—
Canad G'd Fields	10	Lon & Van M. D. Co.	—
Cariboo	1.30	London R. C. G. F. 9	00
Commander	—	Monte Cristo	—
Deer Park	—	New G'd Fields R. C. 5	00
Dundee	23	Novelty	—
Evening Star	12	Queen Res Prop.	3.75
Fern	50	Rambler Con	35
Gold Fields of B. C.	00	Red Mount. View	—
Hattie Brown	—	Reco	—
Hall Mines	2.75	Silver Bell	—
Homestake	05	Silver Queen	15
Iron Horse	12	St. Elmo	—
Iron Mask	75	Slocan Star	—
Josie	—	Vic Tr M. Dev. Co.	—
Jumbo	—	Waverly Mines	80
Kenneth	—	War Eagle Con	3.75
Keystone	—	White Bear	10

SAN FRANCISCO.

Alta Con	04	Mexican	48
Andes	11	Occidental	28
Belcher	34	Ophir	1.55
Best & Belcher	45	Overman	17
Bullion	06	Ontario	—
Caledonia	67	Plymouth	—
Challenge	36	Potosi	28
Chollar	28	Quicksilver	—
Confidence	1.00	Quicksilver pref'd	—
Con. Cal. & Va.	1.50	Savage	24
Crown Point	28	Seg. Belcher	07
Deadwood	—	Sierra Nevada	88

Gould & Curry	25	Silver Hill	02
Hale & Norcross	34	Standard	2.40
Homestake	—	Union Con	37
Iron Silver	—	Utah	14
Justice	17	Yellow Jacket	38

COLORADO SPRINGS STOCKS

Acacia	06	Hayden	01
Alamo	07	Ingham Con	06
Altamont	—	Isabella	74
American Con	03	Jack Pot	28
Anaconda	49	Kimberly	08
Aola	02	Lexington	08
Arcadia Cons	—	Magnet Rock	03
Argentum Juniata	25	Matoa	28
Bankers	—	Montreal	04
Banner	01	Mountain Beauty	04
Bob Lee	03	Mollie Gibson	25
Creede & C. C.	08	Moon Anchor	90
Cripple Crk Con	08	Mount Rosa	25
Dante	10	New Haven	02
Des Moines	02	Oriole	04
Elkton Con	12	Stephen Bell	07
El Paso	18	Pharmacist	04
Emma Almee	01	Pilgrim	04
Fanny B.	0035	Portland	1.74
Favorite	—	Pr. Albert	02
Findley	11	Rattler	02
Flower of the W't	02	Specimen	06
Gold & Globe	31	Theresa	08
Gold King	04	Trachyte	04
Gould	85	Union	19
Granite Hill	17	Vindicator	17
	—	Work	17

SALT LAKE CITY

Alice	86	Joe Bowers	18
Ajax	1.20	Joe Bowers Ex.	07
Alliance	05	La Reine	98
Anchor	05	Little Pittsburg	07
Buckeye	02	Lower Mammoth	41
Bullion Reck	5.75	May Day	85
Cent. Eureka	51	Mammoth	1.75
Chloride Point	70	Mercur	6.90
Daisy	30	Northern Light	55
Dalton	01	Omaha	26
Dalton & Lark	08	Ontario	7.25
Daly	1.80	Petro	79
Daly West	12	Rich. Anaconda	10
Dexter	2.00	Sacramento	45
Eagle	05	Showers Con	37
Eagle & Blue Bell	1.27	Silver King	40.25
Emerald	03	Star Consolidated	85
Four Aces	20	Sunbeam	47
Galena	21	Sunshine	60
Geyer-Marion	48	Swansea	3.92
Golden Eagle	03	Swansea	1.55
Grand Central	8.95	Tetro	08
Homestake	08	Utah	60
Horn Silver	1.35	Valero	81
Ingot	15	West M't'n Pl'cer	25

NEW YORK.

Adams Con	19	Isabella	86
Alamo	07	Iron Silver	55
Alice	75	Jefferson	07
Alliance	—	Jennie Blanche	51
Anaconda	50	Justine	02
Anaconda Gold	50	King & Pemb	18
Anchoria L.	38	Ledwell Cons	08
Argentum Juniata	25	Little Chief	17
Belcher	38	Mexican	45
Best & Belcher	50	Mollie Gibson	21
Burt Gold	—	Mt. Rosa	18
Breece	15	Occidental	8
Brunswick	08	Ontario	09
Chollar	31	Ophir	1.00
Chrysolite	08	Pharmacist	05
Comstock Tunnel	—	Phoenix	10
Comstock Stocks	04	Plymouth	08
Con. Cal. & Va.	1.79	Potosi	33
Cr. & Cr. Creek	09	Quicksilver	2.25
Crescent	15	Quicksilver pfd	8.13
Crown Point	30	Rocky Mountain	—
Cripple Creek Con	—	San Juan Star	20
Deadwood Terra	50	Savage	65
Elkton Cons	88	Sierra Nevada	85
Enterprise	30	Small Hope	1.25
Good Samaritan	—	Specimen	07
Gold Coin C. Crk	1.95	Standard Con	2.25
Gold Coin Gilpin	35	Syndicate	—
Golden Fleece	38	Union Con	35
Gould & Curry	25	Union	18
Gregory Gold	02	Utah Con	10
Hale & Norcross	32	Union Gold	—
High Five	24	Vindicator	17
Homestake	60	Work	38
Horn Silver	1.60	Yellow Jacket	—

SPOKANE, WASHINGTON.

Cariboo	1.25	Mountain Lion	1.27
Ben Hur	15	Morrison	18
Black Tail	22	Number Six	12
Bryan and Sewall	05	Palo Alto	14
Butte and Boston	17	Pearl	12
Deer Trail No. 2	28	Pocahontas	04
Hardman	03	Princess Maude	06
Eureka First Th't	05	Quip	12
Eureka Queen	08	Rebate	02
Golden Harvest	07	Republic	1.25
Gold Leaf	05	Republic Big Six	01
Insurgent	06	Republic No. 2	06
Iron Monitor	09	San Poi	62
Jim Blaine	28	Surprise	12
Liberty	04	Thoughtful	02
Lone Pine Cons	23	Tom Thumb	15
Merrimac	08	Trade Dollar	05
Monroe	08	Treasury	05
Morning Glory	18	Wintpeg	33

DENVER STOCK REPORT.

Aetna	—	Keystone	09
Anchoria Leland	93	Lillie	24
Anaconda	49	Matoa	25
Arctadian	02	Mollie Gibson	20
Argentum Juniata	25	Moon Anchor	—
Banner	01	Mt. Rosa	20

Bob Lee	82	Old Gold	61
Elkton	82	Peoples	—
El Paso	13	Pilgrim	—
Enterprise	07	Pine Creek	—
Fanny B.	0035	Portland	1.74
Garfield	—	Prince Albert	02
Geo. Washington	10	Republic	04
Golden Eagle	20	Sacramento	04
Gold Con	1.98	Smuggler	06
Gilpin & C. C.	—	Specimen	06
Gilpin Four	—	Tamarrack	06
Golden Fleece	31	Union	18
Isabella	74	Virginia M	04
Iron Glad	03	Wheels Cons	—
Jack Pot	28	Work	17

MEXICO

Name of Company	State	Price
Amistad y Concordia	Hidalgo	31
Angustias	Guanajuato	370
Arcevalo y Anexas	Hidalgo	200
Asturiana y Anexas	Zacatecas	20
Barradon y Cabras	Durango	60
Barotome de Medina	Hidalgo	70
Cabezon y An	Zacatecas	15
Candelaria de Pinos	Durango	80
Capatzen	Hidalgo	465
Carmen	Guanajuato	320
Cinco Senores y An	S. Luis Potosi	100
Concepcion y Anexas	Mexico	75
Coronas	Guanajuato	30
El Oro	Guanajuato	30
Esparanza y An	Mexico	1,350
Gloria	Chihuahua	50
Guadalupe	Guanajuato	50
Luz de Borda Aviador	Michoacan	22
Luz de Borda aviador	Michoacan	20
Luz de Maravillas	Hidalgo	180
Pabellon	Zacatecas	20
Palma de Bomb	Durango	2,000
Pinos	Hidalgo	1,000
Rafael y Anexes	Hidalgo	750
Raúl del Monte	Durango	20
Restauradora	Durango	10
Rosario y Anexas	Hidalgo	180
San Francisco	Hidalgo	420
San Rafael aviador	Hidalgo	95
San Rafael del Oro	S. Luis Potosi	720
Ste. Maria de la Paz	Hidalgo	370
Soledad	"	240
Surpresa	Guanajuato	125
Trinidad Aviador	Guanajuato	110
Trinidad	Puebla	25
Union Hacia	Hidalgo	380
Zona Min. de Paz	Guanajuato	57

Note.—The above Mexican stocks are figured on the basis of Mexican silver

ADVERTISE
YOUR WANTS
IN THE JOURNAL.

ADOLF FRESE

Maker and Repairer



of Transits, Levels and all other instruments used in mining. Fine assorted stock of Keuffel and Esser goods. Also Microscopes, Barometers, Field Glasses, Thermometers, Hydrometers, etc.

126 S. SPRING STREET

Los Angeles, California

The Southern California Lumber Co., Stimson Bk., Los Angeles, Cal., Chas. Wier Manager, sells

LUMBER

At Wholesale Prices

Mining Timbers a Specialty

Write for Prices

FROM CRIPPLE CREEK

AIR COMPRESSORS,
ROCK DRILLS,
Stone Channelers,
The Pohle Air Lift Pump,
Coal Cutters,

THE INGERSOLL-SERGEANT DRILL COMPANY, HAVEMEYER BUILD'G
PARKE & LACY CO., AGENTS, SAN FRANCISCO, CAL.

New Catalogue No. 32

New Catalogue No. 41

Pamphlet No. 100

Catalogue No. 72

Special.

JAMES F. BURNS, Pres't. JOHN HARNAN, Gen. Man.
FRANK O. BECK, Sec'y and Treas.
THE PORTLAND GOLD MINING CO.,
(Stock Transfer Office, Colorado Springs.)
Mines at Victor, Colorado.

COLORADO SPRINGS, COLO., May 19, 1898

The Ingersoll-Sergeant Drill Co.,

Gentlemen:—We bought two years ago one of the largest

size of the straight line type of Ingersoll-Sergeant Piston

Inlet Compressor.

This was found to be too small for our needs about a year

ago and we purchased of you a Duplex Corliss machine

16" x 18" x 42".

This was set in place in our shaft house in the Cripple Creek

District, 10,000 feet above the level of the sea, and has been

running continuously ever since, and at times over 35

Eclipse drills. The steam cylinders were connected to an

independent Jet Condenser, for which we are using the mine

water, and the resultant economy of operation is very

noticeable.

The operation of this Compressor is as near perfect as

that of any machine we have ever seen, and this type is well

worth the extra cost on account of the great permanent

economy in operation.

Our mine is equipped exclusively with your drills and we

have only the highest words of praise to give them.

Yours very truly, The Portland Gold Mining Co.,
Jas. A. Burns, President

INCORPORATED MINES PAYING DIVIDENDS.

	NAMES OF MINES	LOCATION	No. of Shares	Capital Stock	Par Value	Amount of Last Dividend	Date of Last Dividend	Total Amount Paid in Dividends	Kind of Minerals Produced
1	Aetna Cons.	California	100,000	\$ 500,000	\$ 5	\$ 10	Apr 1899	\$ 170,000	Q.
2	Alamo	Utah	125,000	125,000	1	02	April 1899	2,500	G, C, L.
3	Alaska, Treadwell	Alaska	200,000	5,000,000	25	37½	Apr 1899	4,070,000	G.
4	Alaska Mexican	Alaska	200,000	1,000,000	5	10	Apr 1899	353,031	G.
5	Anaconda	Montana	1,200,000	30,000,000	25	1 25	May 1899	9,750,000	C.
6	Anchoria Leland	Colorado	600,000	600,000	1	03	Apr 1899	198,000	G.
7	American Gold	Colorado	300,000	3,000,000	10	09	Mar 1899	407,000	G, S, L.
8	Argonaut	California	200,000	2,000,000	10	10	April 1899	206,000	G.
9	Associated	Colorado	1,250,000	1,250,000	1	01	Dec 1898	72,000	G.
10	Bald Butte	Montana	250,000	250,000	1	06	May 1899	702,148	G, C, S.
11	Boston & California	California	600,000	600,000	1	06	March 1899	39,000	
12	Boston and Colorado Smelting	Colorado	15,000	750,000	50	5 00	April 1899	375,000	
13	Boston & Montana	Montana	150,000	3,750,000	25	6 00	May 1899	10,775,000	G, C, S.
14	Breece	Colorado	200,000	5,000,000	25	05	June 1899	50,000	I.
15	Bullion Beck and Champion	Utah	100,000	1,000,000	10	10	May 1899	2,368,400	G, S.
16	Bunker Hill and Sullivan	Idaho	300,000	3,000,000	10	07	May 1899	705,000	S. L.
17	Cariboo	British Col.	800,000	800,000	1	01½	Feb 1899	248,965	G.
18	Calumet & Hecla	Michigan	10,000	2,500,000	25	20 00	June 1899	62,850,000	C.
19	Centennial Eureka	Utah	30,000	1,500,000	50	50	May 1899	2,105,000	S. L.
20	Central Lead	Missouri	10,000	1,000,000	100	50	June 1899	112,000	L.
21	Charleston	S. Carolina	10,000	1,000,000	100	2 00	June 1899	200,000	
22	Colorado Smelting	Montana	100,000	1,000,000	10	1 00	Jan 1899	1,945,000	G, S, C.
23	Consolidated Tiger and Poorman	Idaho	1,000,000	1,000,000	1	02	Dec 1898	20,000	G, S.
24	Creston Leasing	Colorado	1,000,000	1,000,000	1	01	Dec 1898	64, 00	
25	Crowned King	Arizona	600,000	6,000,000	10	02	Dec 1898	232,000	G, S, L.
26	De Lamar	Idaho	4 0,000	2,000,000	5	12	May 1899	2,346,000	G, S.
27	Deer Trail No. 2	Washington	1,000,000	1,000,000	1	0025	May 1899	30,000	
28	Doe Run	Missouri	5,000	500,000	100	50	June 1899	75,000	L.
29	Elkton Consolidated	Colorado	1,250,000	1,250,000	1	01½	Nov 1898	656,961	G, S.
30	Empire State	Idaho	75,000	750,000	10	20	June 1899	165,638	
31	Enterprise	Colorado	500,000	500,000	1	05	Sept 1898	900,000	S, L.
32	Fanny Rawlings	Colorado	1,000,000	1,000,000	1	01	May 1899	10,000	G, S.
33	Ferris-Haggerty	Wyoming	1,000,000	1,000,000	1	30½	Mar 1899	5,000	C, G, S.
34	Geyser-Marion	Utah	300,000	1,500,000	5	02	Sept 1898	96,000	G.
35	Garfield Consolidated	Colorado	1,200,000	1,200,000	1	01	May 1899	34,000	G.
36	Golden Star	Ontario, Canada	100,000	100,000	1	01	July 1899	41,000	
37	Gold Coin of Victor	Colorado	1,000,000	1,000,000	1	01	May 1899	200,000	G.
38	Gold King	Colorado	1,000,000	1,000,000	1	02	May 1899	30,000	G.
39	Golden Cycle	Colorado	200,000	1,000,000	5	05	June 1899	198,500	
40	Grand Central	Utah	250,000	250,000	1	15	May 1899	493,750	G, S, C, L.
41	Gwin	California	20,000	1,000,000	50	25	May 1899	66,500	G.
42	Highland	S. Dakota	100,000	10,000,000	100	20	May 1899	3,884,718	G.
43	Holy Terror	S. Dakota	300,000	300,000	1	01	Mar 1899	122,000	G.
44	Homestake	S. Dakota	125,000	12,500,000	100	50	May 1899	7,493,750	G.
45	Horn Silver	Utah	400,000	10,000,000	25	05	April 1899	5,260,000	S, L.
46	Idaho	British Col.	500,000	500,000	1	05½	Jan 1899	292,000	
47	Isabella	Colorado	2,250,000	2,250,000	1	08	Feb 1899	405,000	G.
48	Jack Pot	Colorado	1,000,000	1,000,000	1	02½	Mar 1899	25,000	G.
49	Jamison	California	300,000	3,000,000	10	10	April 1899	50,700	
50	Lake Superior Iron	Michigan	84,000	2,100,000	25	1 00	Feb 1899	736,000	I.
51	Lillie	Colorado	1,000,000	1,000,000	1	05	June 1899	224,110	G.
52	Modoc	Colorado	500,000	500,000	1	02	May 1899	130,000	G.
53	Montana Ltd	Montana	660,000	3,300,000	5	12	Apr 1899	2,997,557	G, S.
54	Montana Ore Purchasing	Montana	40,000	1,000,000	25	1 00	May 1899	1,120,000	G.
55	Morning Star	California	2,400	240,000	100	2 50	May 1899	726,800	G.
56	Mercur	Utah	200,000	5,000,000	25	12½	Jan 1899	1,266,000	G.
57	Mammoth	Utah	400,000	10,000,000	25	05	Dec 1898	1,350,000	G, S, C, L.
58	Matos	Colorado	1,000,000	1,000,000	1	02½	Dec 1898	25,000	G.
59	Mead	California	2,000,000	2,000,000	1	20	Mar 1899	100,000	G.
60	Monument	Colorado	800,000	300,000	1	01	Dec 1898	12,624	
61	Moulton	Montana	400,000	2,000,000	5	05	Feb 1899	480,000	
62	Mt. Shasta	California	20,000	100,000	5	30	May 1899	6,000	
63	New York & Hon. Rosario	Central A.	150,000	1,500,000	10	10	May 1899	1,050,000	S, G.
64	Napa	California	100,000	700,000	7	20	Apr 1899	990,000	Q.
65	New Idria Quicksilver	California	100,000	500,000	5	20	Apr 1899	120,000	Q.
66	North Star	California	200,000	2,000,000	10	25	Apr 1899	550,000	G.
67	Ophir Hill	Utah	1,000	25,000	25	20 00	Dec 1898	20,000	
68	Original Empire	California	50,000	5,000,000	100	1 00	May 1899	500,000	G.
69	Oscoda	Michigan	50,000	1,250,000	25	3 00	June 1899	2,801,500	C.
70	Parrot	Montana	230,000	2,300,000	10	1 50	May 1899	2,600,898	C.
71	Pennsylvania Consolidated	California	51,500	5,150,000	10	05	June 1899	67,100	
72	Pioneer	California	100,000	1,000,000	10	12½	Mar 1899	62,500	G.
73	Portland	Colorado	3,000,000	3,000,000	1	02	June 1899	2,197,080	G, S.
74	Plumbago	California	300,000	300,000	1	15	Jan 1899	45,000	G.
75	Quicksilver Pref.	California	43,000	4,300,000	100	50	May 1899	1,845,411	Q.
76	Quicksilver Consolidated	California	57,000	5,700,000	100	40	July 1899	643,867	Q.
77	Quincy	Michigan	100,000	2,500,000	25	3 50	Feb 1899	10,470,000	C.
78	*Republic Consolidated	Washington	3,000,000	3,000,000	1	01	June 1899	183,000	G.
79	Ra. bier-Cariboo	British Col.	1,000,000	1,000,000	1	01	April 1899	50,000	
80	Royal Consolidated	British Col.	2,500,000	2,500,000	1	01	Mar 1899	25,000	G.
81	Sacramento	Utah	1,000,000	5,000,000	5	00½	June 1899	87,500	G.
82	Small Hopes Consolidated	Colorado	250,000	5,000,000	20	10	Feb 1899	3,325,000	S.
83	South Swansea	Utah	150,000	150,000	1	05	Apr 1899	147,500	S, L.
84	Standard	Idaho	500,000	500,000	1	06	Apr 1899	1,745,000	G, S.
85	Standard	California	200,000	20,000,000	100	10	May 1899	3,859,226	G, S.
86	St. Joseph	Missouri	30,000	3,000,000	10	1 50	Mar 1899	2,822,000	L.
87	Silver King	Utah	150,000	3,000,000	20	25	May 1899	2,975,000	S, L, G.
88	Smuggler	Colorado	1,000,000	1,000,000	1	01	June 1899	1,155,000	S, L, Z.
89	Swansea	Utah	100,000	500,000	5	05	May 1899	161,500	S, L.
90	Tamarack	Michigan	60,000	1,500,000	15	4 00	June 1899	5,910,000	C.
91	Tomboy	Colorado	200,000	2,000,000	10	4 00	May 1899	730,000	G.
92	Utah	Utah	100,000	1,000,000	10	02	Jan 1899	179,000	G.
93	Vindicator	Colorado	1,500,000	1,500,000	1	05	Apr 1899	203,000	G.
94	War Eagle	British Col.	2,000,000	1,000,000	1	01½	May 1899	309,000	
95	Wolverine	Michigan	60,000	2,500,000	25	1 50	Apr 1899	150,000	C.
96	Yellow Aster	California	100,000	1,000,000	10	10	May 1899	203,789	G.

S. Silver; G. Gold; L. Lead; C. Copper; Q. Quicksilver; I. Iron; Z. Zinc.

N. B.—Companies not listed have not paid a dividend for the last twelve months.

*Paid since consolidation, \$63,000; Republic paid \$120,000 under old management.

THE CAMMET CONCENTRATOR



The Most Recently Developed and Scientifically Designed Concentrator on the Market

PRICE, Including All Extra Attachments complete, f. o. b.
Denver, \$450

We do not tell you that this Concentrator will take the place of two or three Belt Machines—you are supposed to be intelligent enough to know this. We do tell you, however, that this concentrator will do more work than any Concentrator on the market.

Thoroughly protected by strong patents

Denver Engineering Works,
Sole Manufacturers.
Denver, Colorado, U. S. A.



THE NEW "LEYNER" ROCK DRILL



A NEW PRINCIPLE.



IT WILL INTEREST YOU BECAUSE :

It requires less than one half the air required to operate rock drills of the ordinary piston type.

It weighs less than one half as much as the ordinary rock drill and is consequently easier to handle.

And other Good Points all explained in Catalogue, Sent on Application.

5



THE EDWARD P. ALLIS CO.,

MIWAUKEE, WIS.

SULLIVAN MACHINERY CO.

CHICAGO, ILLINOIS

Sullivan Diamond Prospecting Drills


FOR PROSPECTING FOR and DEVELOPING MINERALS

Rock Drills for Sinking, Drifting and Stopping



Knight & Stone, Agents, Spokane, Washington
Denver, Col. Office: 332 Seventeenth Street

Henshaw, Bulkley & Co., Agents, San Francisco, Cal.
New York Office: 71 Broadway





MAKING THINGS RUN SMOOTHLY


The shop machinery cannot run easily unless the engine which drives it works freely and without friction.

A Detroit Lubricator

on the engine makes it run evenly and without any loss from friction or unnecessary wear. It saves more than it costs every few days and prolongs the life of the engine. Catalogue sent on application, and prices quoted if desired.

DETROIT LUBRICATOR CO., Detroit, Mich.

QUEEN NO. 4 ASSAY BALANCE



Aluminum Beam, Agate Knives and Planes Sensibility 1-100 mg. The Best Low-Price Assay Balance on the Market. Send for Circular.

QUEEN & CO.,

Optical and Scientific Instrument Works
1010 Chestnut Street,
N. Y. Office, 59 Fifth Ave. Philadelphia

TIMOTHY W. SPRAGUE, S. B.

WITH

CHARLES HENRY DAVIS, C. E.
CONSULTING ENGINEERS

99 CEDAR ST., NEW YORK 4 STATE ST., BOSTON
DREXEL BLDG., PHILADELPHIA


Electric Transmission of Power and Mine Equipments

ESTABLISHED IN 1840

HENRY TROEMNER,

170 Market St.,

Philadelphia, Pa.



Assay Balances and Weights

In use in all the U. S. Assay Offices
in America

PRICE LIST ON APPLICATION

GASOLINE ENGINES


Gasoline Engines from 2 to 10 horse power. Mine ventilators operated by Gasoline Engines.

TEMPLE MACHINE CO.,

1513 Wazee Street, Denver, Colorado

Spadone's Concentrator Belts

Patented



This illustration shows the edge flanging outwardly as it passes over the pulley. This relieves the strain from the top and bottom of the edge by directing the strain automatically to the inside face surface of the edges. Heretofore all belts have been so constructed that when they pass over the pulleys or rolls, a direct strain comes upon the top or at the base of the edges, causing the edges to break away from the body of the belts in a very short time. We avoid this Mechanical Defect by our Spadone Curved Edge Belts made to fit any machine—4, 5 and 6 feet wide. Prices and samples on application.

Send us your order for Water, Air Drill, Steam, Suction and Fire HOSE RUBBER BELTING, RUBBER PACKING and LEATHER BELTING.

Amalgam Plate Cleaners. Our Amalgam Plate Cleaners are made of Pure Rubber in moulds, thus insuring a plate cleaner which will not scratch the plates and a perfect edge which will clean the Amalgam plates evenly. They are made 6 inches long, 3 inches wide and 1/4 in. thick, making a convenient size to handle. Price by mail to any address, each 75c. Correspondence solicited.

The Gutta Percha Rubber & Mfg. Co.,

30 and 32 Fremont St., San Francisco, Cal.

Electric Blasting Apparatus.

Adapted for Firing all Kinds of Explosives used in Blasting



SEND FOR CATALOGUE
railroad quarrying, and mining works.

Victor Blasting Machine. Fires 5 to 8 holes; weighs 15 lbs; adapted for prospecting, etc.

Victor Electric Platinum Fuses Superior to all others for exploding any make of dynamite or blasting powder. Each fuse folded separately and packed in neat paper boxes of 50 each. All tested and warranted. Single and double strength with any length of wires.

Blasting Machines. The strongest and most powerful machines ever made for electric blasting. They are especially adapted for submarine blasting, large



MANUFACTURED ONLY BY

JAMES MACBETH & CO.,

128 Maiden Lane, New York, U. S. A.

BRANCH OFFICE: 308 Market Street, San Francisco, Cal.

THE J. H. MONTGOMERY MACHINERY COMPANY.

1215 TO 1230 CURTIS ST., DENVER, COLO., U.S.A.

More than 4,000 in use. Made of wrought iron and steel. Can be packed on animals anywhere. The deadlock holds the load when an accident occurs.

20-Page Catalogue \$2.00



Price of One-Horse Whim, complete, with shieves \$81.50

Two-Horse Whims, complete, with shieves \$150

Pumping Attachment with Pipe for either \$840.

Blower Attachment with Pipe for either \$320

Also Four, Eight and Twelve-horsepower Whims.


All kinds of New and Second-Hand Machinery

J. A. FAY & EGAN CO.

CINCINNATI, OHIO

Wood Working Machinery

— FOR —



Box Factories, Planing Mills, Sash, Door & Blind Factories
Carriage, Wagon and Agricultural Shops.

HENSHAW, BULKLEY & CO., Agents, San Francisco, Cal.

STEEL CASTINGS

From 1 to 40,000 pounds weight

Of Open Hearth or Chester Steel. True to Pattern, Sound, Solid. Gearing of all kinds and Crank Shafts. Shoes, Dies, Crusher Plates, Bosses, Tappets and Roll Shafts. Steel Castings of every description.

Chester Steel Castings Co.,

Works Chester, Pa., Office, Library St Philadelphia, Pa.



WHY

Spend your money to buy new machinery to put on Unproved Mines which may not be a success when you can buy Pumps, Hoists, Shafting, Pulleys, Air-Compressors, Engines, Boilers and in fact any Machinery you need for a Mine or Mill, as good as new, at the

Denver Variety Machine Shops, THOS. CROW, Prop.

Write for Prices and Particulars.


1712 Blake St., DENVER, COLORADO

WEIS & GIBSON,

Assayers and Analytical Chemists

81 Clark St, Chicago, Ill.

Assays and analyses of all kinds. Mail orders promptly attended to. Mining properties examined and reported upon. Term on application



ANSWORTH NO. 043

Sensibility. 1-100 Milligramme

Ten inch beam on which you can weigh from 1-100 to 1 Milligramme with a 1 Milligramme rider.

Wm. AINSWORTH & SONS

1251 LAWRENCE ST. DENVER, COLO.

JEFFREY

Roller, Steel and Special Chains.

ELEVATORS

—AND—

CONVEYORS

FOR HANDLING MATERIAL OF ALL KINDS.

WIRE CABLE CONVEYORS.

THE JEFFREY MFG. CO. 41 DEY STREET, COLUMBUS, OHIO. NEW YORK.

SEND FOR CATALOGUE

Western Branch, - - Denver, Colorado
Frank J. Field, Manager.



Quartz Screens
A specialty. Round, slot or burred slot holes. Genuine Russia Iron, Homogeneous Steel, Cast Steel or American planished Iron, Zinc, Copper or Brass Screens for all purposes. CALIFORNIA PERFORATING SCREEN CO., 145-147 Beale St., S.F.

Diamond Prospecting Drills.

Machines of all Capacities

American Diamond Rock Drill Co.120 LIBERTY ST., N.Y.
P. O. Box 1442**The Kootenai Gold Mining District**

of British Columbia, which of late has been attracting considerable attention, is best reached by the Oregon Railroad and Navigation Co. The fact has recently been brought out that the Kootenai district contains within its borders more *High Grade Silver and Lead Mines* than any other part of the world. The recent discoveries of *Rich Gold Lodes* makes it the most attractive country for the *Capitalist Miner and Prospector* to visit in search of mines.

The Oregon Railroad and Navigation Co.
Dispatch Fast Steamers every Four Days

from San Francisco connecting at Portland, Oregon with their rail line for all points in this famous district. For full particulars address,

E. C. WARD, GENERAL AGENT.
SAN FRANCISCO, CAL.

630 Market Street,


NEW HAVEN MFG. COMPANY

NEW HAVEN, CONN.

IRON WORKING TOOLS,

Engine Lathes, Pulley Turning Lathes, Iron Planers, Slotters, Upright Drilling Machines, Horizontal Drilling and Boring Machines, Etc.

HENSHAW, BULKLEY & CO., Agents, San Francisco, Cal.

**SMITH & THOMPSON**

Manufacturers of

Fine Assay Balances

Write for Catalogue

2219 Stout street

Denver, Colo.

J. B. Pope

U. S. Mineral Surveyor,

SAN BERNARDINO, CAL.

FOR SALE VERY CHEAP.

2,000 TENTS used a few days at G. A. R. Reunions, etc., every size and shape from a 10x12 wall tent to a 125x175 circus tent, including family compartments tents, refreshment tents, stable tents and preching tents; also 800 canvas cots and 300 gasoline lamps; guaranteed in first class condition; 1,500 new bed blankets; 1,200 wool horse blankets. Write for prices.

C. J. BAKER,
104 W. 3d St., Kansas City, Mo.

ANTIMONY.

We buy Antimony Ore in any quantity and pay prompt CASH for same. Write us and let us know what you have.

Chapman Smelting Works Co.,
(INCORPORATED)

422 Battery Street,

San Francisco, Cal.

**Independent Assay Office.**

ESTABLISHED 1889.

D. W. Reckhart, E. M., Proprietor.

Agent for One Shipper.

Assays and Chemical Analysis.

Mining Examined and Reported Upon.

BULLION WORK A SPECIALTY.

P.O. Box 88, Office and Laboratory.

Cor. San Francisco and Cliffland Sts.,

EL PASO, TEXAS.

**TANKS**OF EVERY DESCRIPTION
— FOR —

Mines, Mills and Cyanide Plants
Patent Non-Shrinking Water Tanks

The only Tank that will stand the Desert and Hot Climate.

Write for Catalogue and Estimate on any kind of Tank Work.

Pacific Tank Co.

33 BEALE ST., SAN FRANCISCO
348 EAST 3d STREET, LOS ANGELES

**To Gold Miners!****Silver Plated Copper AMALGAMATING PLATES**

For Saving Gold In Quartz and Placer Mining.

EVERY DESCRIPTION OF MINING PLATES MADE.

Only Best Copper and Refined Silver Used. Old Mining Plates Replated. Twenty-six Medals Awarded.

Gold, Silver, Nickel, Copper & Brass Plating.

Old copper mining plates bought or taken in exchange for new silver-plated plates and full value allowed. Gold extracted from old plates at a moderate cost by a new and economical process. Old plates, which often contain a surplus of gold above the cost of plating, can be re-plated.

Denniston's San Francisco Plating Works

653 and 655 Mission Street, San Francisco, Cal.

— Telephone, Main 5931. —

E. G. DENNISTON,

Proprietor

Send for Circular.

**R. A. PEREZ, E. M.****Assayer and Chemist**

Manager of the Bi-Metallic Assay Office and Chemical Laboratory

Assaying of Ores, Furnace Products, etc.

Amalgamations and Cyanide Tests Carefully Made

Formerly: Underground and surface surveyor for the Coahuila and Alamo Coal Cos., Coahuila, Mexico.


Assistant Chemist for the Wharton Iron Furnace, Port Oram, N. J.

Chief Assayer for El Paso Smelting Works, El Paso, Texas.

Assistant Chemist Consolidated Kansas City S. and R. Co., Argentine, Kan.

124 South Main Street,

Los Angeles, Cal.



ESTABLISHED 1859

Herman Kohlbusch Sr.

59 Nassau Street,
New York, N. Y.

MANUFACTURER OF

Fine Balances and Weights

For every purpose where accuracy is required.

Send for Illustrated Catalogue

**THE WILSON**

Forged High Grade Steel

Shoes and Dies

Guaranteed to Wear Longer and Prove Cheaper than any others.

Made by use of Special Appliances. Patented Aug. 16th, 1892.

— Made only by —

WESTERN FORGE AND ROLLING MILLS
St. Louis, Missouri

JOSHUA HENDY MACHINE WORKS

SOLE AGENTS

38 to 44 Fremont Street,

San Francisco, Cal.

The JACKSON DRILL and M'F'G. CO.

DENVER, Colo., July 22, 1898.

The Jackson Drill & Mfg. Co., Denver, Colo.,

GENTLEMEN:—I personally operated one of your Jackson Hand Power Rock Drills for ten days in the Humbolt mine, at Lambertine, Colo., and find the machine equal to all you claim for it. We drilled thirty-six inches per hour in blue granite and spar, and that with poor steel. The machine will beat this under ordinary circumstances.

Yours respectfully,
(Signed) F. J. HUGHES.



GENERAL OFFICES:

DENVER COLORADO


1756 Larimer St.

Sole Licensees for all Foreign Countries and Eastern United States.

THORNTON N. MOTLEY COMPANY, (Inc.)

43 John St., New York.

Write for Circulars and Testimonials to your hardware dealer or to the Company



The National Feed Water Heater

Highest Premium at World's Fair

800,000 HORSE POWER IN USE

SIMPLICITY
CHEAPNESS
RELIABILITY
EFFECTIVENESS

Henshaw, Bulkley & Co.,


Agents,
SAN FRANCISCO, CAL.

P. & B. PAINT

FOR MINES, SMELTERS, CHLORINATION WORKS,
THE CYANIDE PROCESS.

P. & B. Roofing put up in Rolls to lay 200 square feet, with Paint and Nails.
Absolutely Acid and Alkali Proof.

PARAFFINE PAINT CO., Manufacturers, 312-314 W. 5th St., Los Angeles



The Eynon-Korting Compound Injector

The Best for
Quartz Mill
and Smelter
Boilers



Brass, Bronze and Copper Castings of every description.

Send for Catalogue of the
Injectors, Condensers, Blowers, Ventilators, Blast Nozzles
Syphons, Exhaustors, Etc.

THE EYNON-EVANS MFG CO.,
5th and Clearfield Streets, PHILADELPHIA, PA

ENRIQUE C. CREEL, President

JUAN A. CREEL, Manager

Compania Industrial Mexicana

MANUFACTURERS OF

MINING * MILLING * AND * SMELTING MACHINERY

STAMP MILLS

Engines,

Amalgamating Pans


Hoists,

Huntington Mills,

Cyanide Mills,

Stamp Mill Mortars,

Air Compressors,



Crushers,

Boilers.

Amalgamating Plates, Cams Shoes Dies

Roasters,

Electric Light Machinery.

Concentrators

Pelton Water Wheels

Water Jacket Smelters,

Pumps,

Rolls and Jigs,

Ore Cars & Slag Cars

We are prepared to meet any Prices, for Milling, Smelting and Mining Machinery
Address all communications to the Company. Correspondence Solicited.

Chihuahua,

Mexico

THE CUMMER DRYERS.

**FOR DRYING ...
... EVERYTHING
MECHANICALLY**

Concentrates, ores, coal, bricks, clay, etc.
No Steam is used.

Hundreds in Operation

F. D. CUMMER & SONS CO., CLEVELAND, OHIO

Ores! Ores! Ores!!

Gold, Silver and Lead Ores and Concentrates

Purchased at Reduced Rates for Treatment.

Selby Smelting and Lead Co.

416 MONTGOMERY ST., San Francisco

Consign Shipments to Vallejo Junction, Cal.

MINERS' OUTFITS.



IRON MORTARS,
AMALGAM MORTARS,
GOLD WASH PANS,
MINERS' HORNS,
BATEAS, CRUCIBLES,
HORSE-SHOE MAGNETS,
MAGNIFYING GLASSES,
IRON RETORTS,
CHEMICALS, SCALES,
WEIGHTS, ETC.

Including a full assortment of Mine and Mill Supplies, Assayers' Materials, Etc.

Sole Agents for the Pacific Coast for the

W. S. TYLER WIRE WORKS CO.

Manufacturers of

Steel and Brass Wire Battery Screens
Agents for Baker & Adamson's Chemically Pure Acids. A full Stock always on hand.

Nitric Acid, sp. gr. 1.42; Muriatic Acid, sp. gr. 1.20; Sulphuric Acid, sp. gr. 1.845.

JOHN TAYLOR & CO.

83 FIRST ST., SAN FRANCISCO

Prices on Application

State Ore Sampling Co.

DENVER, COLORADO.

We buy Gold, Silver, Lead, Copper, Bismuth, Uranium, Wolframite, Cobalt molybdenite and Antimony Ores.


We have modern mills for sampling ore. We also test ores for the new processes of reduction. Our long experience in the market enables us to pay the highest cash prices for all marketable ore. Write for our "Reference Book." Send analysis of your ore for prices and information.

BAILY & MONNIG, Managers.

WOODBURY CONCENTRATOR



No. 141 First St., - San Francisco



FACTORY:


3101-3141 Blake St., 1742-1746 Champa St., Denver, Col.

THE DEMING

TRIPLEX POWER PUMP

The Best Made

Steel Crank Shafts, Cut Gearing, Outside Packed Plungers, Single and Double Acting Triplex Electric Pumps



THE Denver Fire Clay Co

Assayers' and Chemists' Supplies

MANUFACTURERS OF

Crucibles, Scorifiers & Muffles

And all other kinds of

Fire Clay Material.

SPECIALTIES—Strictly c. p. Acids
Test Lead, Bone Ash, Cyanide
Potash, Argol, Borax, Borax Glass
Iron Sulphides, Litharge, Soda
Mining Fluxes, etc.

Sole Agents for the
Ainsworth Balances &

OFFICE:

E. E. BURLINGAME & CO.,
ASSAY OFFICE AND CHEMICAL LABORATORY

Established in Colorado, 1866. Samples by mail or express will receive prompt and careful attention

Gold & Silver Bullion Refined, Melted and Assayed OR PURCHASED.

Concentration Tests—100 lbs. or car load lots.

Write for terms. 1736-1738 Lawrence St., Denver, Colo.

CLARENCE HERSEY, Assayer and Chemist,

(Established 1870)

LEADVILLE, COLORADO

Samples by Mail or Express Receive Prompt Attention

SPECIMEN ASSAY PRICES:


Gold silver and lead, \$1.00; any two of the above, 75c; any one of above, 50c; copper analysis, \$1; platinum, nickel or tin, \$5.00.

Write for full price list and mailing envelopes

THE OTTO GAS ENGINE

51000 IN ACTUAL USE


The Original, the Highest Efficiency and Most Economical



Henshaw, Bulkley & Co.,

AGENTS

SAN FRANCISCO, CAL.



ORIENTAL HOIST

Any Size Built on Demand
Simplest and Best Mining Hoist Built
Write for Particulars and Prices

Oriental Gas Engine Co.

108 BEALE ST., SAN FRANCISCO, U. S. A.

RIVETED SHEET STEEL WATER PIPE

For Placers, Water Powers, Irrigation, Etc.

THE WEIGLE PIPE WORKS

2949-51 Larimer St.

DENVER, COLO.

WHITE, ROGERS & COM'Y.

CONSTRUCTING ENGINEERS AND MILLWRIGHTS

308 PINE STREET, SAN FRANCISCO, CAL.

Sole Pacific Coast Agents and Builders of the Celebrated


Wilfley Concentrator, Price \$450 f.o.b. San Francisco

One of these Machines will take the place of TWO or THREE Belt Concentrators of any make and do very much better work.


We furnish superior Machinery and erect Stamp Mills, Hoisting and Pumping Works operated by Steam or Water Motors. Complete Concentrating and Smelting Plants for the concentration and recovery of gold, silver, copper and lead. Improved Power Drills and Air Compressors, Wire Rope Tramways, etc.

The Wilfley Table is fully covered by U. S. Patents Nos. 580,338 and 590,675. Infringements will be prosecuted to the full extent of the law.

These Machines are Kept in Stock Ready for Immediate Shipment



Turbine AND Cascade WATER WHEEL



Adapted to all Heads from
3 Feet to 2000 Feet

Our experience of **33 YEARS** enables us to suit every requirement of Water Power Plants. We guarantee satisfaction.

Send for a Pamphlet of either Wheel and write full particulars.

James Leffel & Co.
SPRINGFIELD, OHIO, U.S.A.



GOLD and SILVER REFINERS & ASSAYERS.

Bullion Bought. No charges for parting. Gold \$30.50 per oz., Silver and Platinum at market prices. Assaying in all branches. Working tests made by all processes. Wastes and Concentrates bought. Prompt attention. Best Services. Your Trade Solicited.

PENN SMELTING AND REFINING WORKS, 901-903 Filbert St PHILADELPHIA, PA.



PERFORATED SCREENS

Steel Plate, Copper and Bronze

For all uses. Send for Catalogue

A. J. BECKLEY & CO.

Works, Garwood, N. J.

New York Office, 123 Liberty Street.

L. Manasse Company

Mfg. Opticians

88
Madison Street
Chicago.

Manufacturers and Importers of
Architects,
Engineers and
Surveyors
Supplies.

Optical Instruments of every description. Barometers, Thermometers, Field Glasses, etc. Catalogues on application.



W. H. TONKIN

GEO. G. McNAMARA

McNamara & Tonkin,

ASSAYERS AND ANALYTICAL CHEMISTS

General Brokers, Mining and Milling Engineers. Reference, 1st National Bank. Offices, Metallurgical Works and Laboratory:

120 S. Broadway,

Los Angeles, Cal.

Analytical Chemists and Assayers

Analysis made of ORES, Waters, Chemicals, Clays, &c. Umpire Work a Specialty.

HAMLIN & MORRISON,

144 Chestnut Street,

PHILADELPHIA, PA.

JOHN T. REED

Assayer and Analytical Chemist

Assays made for all valuable metals. Analysis made of all valuable minerals. Special attention given to the sampling of mines. Estimating the value of and testing the nature of their ores. 100 pound lots of ore sampled, and working tests made by Cyanide, Amalgamation and Chlorination Processes.

OFFICE 522 COURT STREET,

San Bernardino, - - California

\$35,000,000 in Dividends paid out by Utah Mines up to date.

UTAH MINING STOCKS

Weekly Market Report on application. Quotations by wire or mail. Reference: Any Bank in Salt Lake City.

P. J. CONWAY & CO.,

SALT LAKE CITY, UTAH

The Monthly Summary

— OF —

COMMERCE AND FINANCE

OF THE
United States

Is kept on file in the Los Angeles, Cal. Office of the

* JOURNAL *


The Mining Public is invited to consult it

THEODOR LEXOW
Nos. 12 to 16 John St., near Broadway, N. Y.

CARBONS

— FOR —
DIAMOND DRILLS and all Mechanical Purposes
Henry Demmert

Mathematical, Scientific and Drawing Instruments



Boxwood Scales. All kinds of repairing promptly executed.
GUIDO FERRARI

S. E. Cor. 7th & Chestnut Sts. Philadelphia, Pa.

Third Edition Revised and Enlarged.
Prospector's Field Book and Guide

In the search for and the easy determination of another useful minerals, by H. S. Osborn, of 58 engravings. 274 pages, by mail \$1.50.

Catalogue M, Mining, Assaying, etc., sent free.

PHILADELPHIA BOOK CO.

15 S. Ninth Street,

Philadelphia, Pa.



OLIVER'S POWDER METEOR DYNAMITE

Extra Strength for Heavy Rock Work and Ore Mining



GELATINE

SUPERIOR STRENGTH
FREEDOM
FROM SMOKE

The **OLIVER POWDER CO.,**
OLIVER MILLS,

Luz. County, P. A.

OLIVER'S FLAMELESS DYNAMITE

For Tunnel Work—free from Obnoxious Odors

Will not Ignite Gas or Coal Dust. Does not shatter coal

ALL GRADES OF MINING POWDERS A SPECIALTY

Mining, Milling, Smelting,

Concentrating, Chlorination,

and Leaching Machinery

MANUFACTURED BY

THE COLORADO IRON WORKS COMPANY

DENVER, COLORADO.



CHALLENGE ECLIPSE ORE FEEDER


Will feed both wet and dry ores

CATALOGUE ON APPLICATION



BLACK HAWK ORE BREAKER

ESTABLISHED 1860



THE BEST
LOW PRICED GOOD
STEAM ENGINE
MADE

Governor and Belt, Fly Wheel, Driving Pulleys, Glass Oil Cups, Drain Cocks and Sight Feed Lubricator furnished with Engine. From four to twenty horse power.

Globe Machine Works,
135-139 W. 2D ST. CINCINNATI, OHIO

Eastern Prices Beaten

Improved Facilities, Finest Work, Lowest Prices



Perforated Sheet Metals

For Flour and Rice Mills, Grain Separators, Shaker Screens, Gravel and Cement, Stamp Batteries, Iron, Steel, Russian Iron, American Planish, Zinc, Copper and Brass Screens, for all uses.

San Francisco Pioneer Screen Works
(ESTABLISHED 1860)

221 and 223 First St., San Francisco, Cal.
JOHN W. QUICK, PROPRIETOR

Perforated Metals

GRIZZLEYS FOR PLACER MINING, BATTERY SCREENS
STEEL SHEETS FOR TROMMELS.

THE ROBT. AITCHISON PERFORATED METAL CO.
289 Dearborn St., Chicago, Illinois

FRANCIS SMITH & CO.,
MANUFACTURERS OF



MINING PIPE ALL SIZES

Hydraulic, Irrigation and Power Plants, Well Pipe, Etc., all Sizes.

Iron cut, punched and formed, or making pipe on ground where required. All kinds of Tools supplied for making Pipe. Estimates given when required. Are prepared for coating all sizes of Pipes with Asphaltum.

40 Fremont Street

San Francisco, Cal.

HOME MANUFACTURE
FOWLER'S
Air Space and Asbestos
Manufacturing Company
Sectional Removable Covering
for Steam Boilers, Pipes, etc.
As a Non-Conductor, Unequaled
Absolutely Fire Proof




G. C. FOWLER, 656-58 Howard Street
SAN FRANCISCO, CAL.

C. DUCOMMUN,

300-302 N. MAIN STREET,

LOS ANGELES

Assayers Material
Mine and Mill Supplies




Dixon's Black Lead Crucibles, Denver Fire Clay Crucibles, Muffles, Scorifiers, etc.; Quicksilver, Drill Steel, Retorts, Mortars, Gold Pans, Drilling Hammers, Drifting Picks, Horn Spoons and Shovels.

NORWALK IRON WORKS CO.

SOUTH NORWALK, CONNECTICUT.

THE NORWALK AIR and GAS COMPRESSOR



In use in every State in the Union, Central America, and South America, Great Britain, etc., Also used by the U. S. Army and Navy.

Especially Designed for
Driving

ROCK DRILLS,
PNEUMATIC LOCOMOTIVES, ENGINES, PUMPS
COAL CUTTERS.

and Other Mining Machinery. The Best Machine for Compressing Air for all Dynamic Purposes. Send for Illustrated Descriptive Catalogue.

HENSHAW, BULKLEY & CO., Agents

San Francisco

A Comparison ...



Compare the

MINING AND
METALLURGICAL
JOURNAL

with others published in the
West, and you will find it
head and shoulders above them
all.

WRITE FOR ADVERTISING
RATES

OFFICES:

Stimson Block, Los Angeles, Cal.

150 Nassau Street, New York

N. OHLANDT & CO.

MANUFACTURERS OF

Best Quality of BONE ASH for Assayers.

Our Goods are used in all parts of the United States and Mexico.

EXTRA No. 1 and No. 2

CORRESPONDENCE SOLICITED

327 MARKET STREET, SAN FRANCISCO, CAL.

The M. and E. Co.

Machinery & Supplies

Mining Hoists--Geared Friction

Engines

"OIL CITY" STATIONERY.
"BATES" CORLISS.
"IDEAL" AUTOMATIC.
"OIL CITY" Gas and Gasoline.

"Oil City" Boilers "GEARY" WATER TUBE

"SNOW" Mine and Sinking
LAWRENCE Centrifugal
RUMSEY Power

Pumps

Shafting, Belting, Pulleys, Hangers, Boxes, Etc. Write for Prices

The Machinery and Electrical Company,

351 & 353 N. Main Street,

Los Angeles, Cal.

Buyers of

ALL CLASSES OF
BULLION, MATTE,
ORE, SILVER SUL-
PHIDES,
CYANIDES, GOLD
and SILVER BARS.

CONSOLIDATED Kansas City Smelting AND Refining COMPANY

SMELTING WORKS
LEADVILLE, COLO.; EL PASO, TEXAS;
ARGENTINE, KAN.; BOQUILLAS, MEX.


REFINERY:
ARGENTINE, KANSAS

ORE PURCHASING AGENCIES:
C. D. Porter, Spokane, Wash.; J. H. Weddle, Leadville, Col.;
J. H. Murray, Denver, Colo.; L. F. Feustman, City of Mex.;
J. R. Jackson, Salt Lake City, Utah; H. R. Simpson, El
Paso, Texas; C. R. Pinney, Argentine, Kansas.

Manufacturers of

ALCHEMIST-
BRAND
BLUE VITROL
ZINC SULPHATE

Half Universal Radial Drills



The special features which have so highly recommended this style of Drills are our double columns, steel gearing, power and hand feeds, quick return motion to spindle. Furnished in three sizes, with large variety of tables, adapting the drills for every class of work possible.

Bickford Drill and Tool Co.

CINCINNATI, OHIO, U. S. A.

HENSHAW, BULKLEY & CO., AGENTS

San Francisco, Cal.

ORE CARS.

All miners who have used the Truax Automatic Ore Cars say they are the best in the market.

Over 3,000 In Use
MANUFACTURED IN

SAN FRANCISCO, CAL., by
The Truax Mfg. Co.,
114 First Street



PATENTED:
Jan. 8, 1892. Aug. 7, 1895.
July 19, 1898.
In Canada, June 21, 1898.

MANUFACTURED IN
DENVER, COLORADO, by
The Truax Mfg. Co.
1717-1719 Wazee St.

We make all kinds of cars, skips and charging carts for the Mine, Mill and Smelter. All miners should have our pamphlet of useful information.

Dealers wanted in Mining Sections to handle the TRUAX ORE CARS.


THOMAS PRICE & SON

Analytical Metallurgical and Physical Testing Laboratory

524 SACRAMENTO STREET, SAN FRANCISCO, CAL.

FOUR and SIX FOOT FRUE VANNERS

With Brownell "Patent Lip" Flange Belts



After a Concentrator like the Frue Vanner has been on the market nearly two decades, and the sales have constantly increased, it is safe to say it is the "Standard Machine of the world." More Frue Vanners have been sold during the last twelve months than for the same period at any time during the history of the machine. Practical mining men in all parts of the world where mining is carried on will testify as to its merits. It is the "Standard" which all competitors are trying to imitate.

The results obtained by this machine are the "Acme" of concentration, and several cheap and untried machines that have lately come on the market compare by it, and the manufacturers will tell you that they are "just as good, and cheaper, etc." The facts are that no other concentrator made has an equal capacity, or will yield as clean a concentrate with as small loss in the tailings as the Frue Vanner. The amount saved from the lower first cost of an inferior machine counts little in the years results, when compared with the increased output from a Frue. This machine not only gives better results at both ends of the belt (i.e. Clean product and poor tailings), but is operated at less expense and requires less attention than any other machine on the market. At the Alaska Treadwell Mine where they have ordered over 350 Frue Vanners one man after 48 machines for 12 hour shift.

JAS. S. BROWNELL, Western Agent

132 Market Street,

FRUE VANNING MACHINE CO.

(Successor to Adams & Carter)

SAN FRANCISCO, CAL.

ESTABLISHED 1871. C. L. BERGER & SONS Successors to BUFF & BERGER



Minning and
Engineering Transits
With patent interchangeable
auxiliary Telescope for use on
top or side in vertical sighting.
Our friends are cautioned
against infringements foreign
or domestic as attempts have
been made of late to mislead
the public.

Send for Illustrated Catalogue and Manual

11 Province Court, - Boston, Mass.

F. A. JONES, E. M. MINING ENGINEER

Assays, Surveys, Reports, Plans, Etc., Chemist
State Geologic Survey.

OLIVER W. KROLL, Mining Engineer Asst.

OFFICE AND LABORATORY

14 W. Missouri Ave., Kansas City, Mo.

Randsburg Gold Fields

REACHED VIA

Santa Fe Route

Leave Los Angeles, 9:50 a. m.
Leave San Bernardino 12:25 p. m.
Arrive Barstow 3:25 p. m.
Leave Barstow 3:50 p. m.
Arrive Kramer, 5:05 p. m.
Arrive St. Elmo, 8:25 p. m.
Arrive Johannesburg 8:50 p. m.

Returning Trains Leave

Johannesburg 9:00 p. m.
Arrive San Bernardino 5:45 a. m.
Arrive Los Angeles, 8:28 a. m.

A through passenger coach is run between Barstow and Johannesburg.

Through tickets and particulars of any Santa Fe Route Agent.

Stage leaves Johannesburg for Ballarat on Sundays and Thursdays at 7 a. m.; returning arrives at Johannesburg on Tuesdays and Fridays at 8 p. m.

SAN FRANCISCO OFFICE
628 MARKET ST.

LOS ANGELES OFFICE
200 S. SPRING ST.

J. W. McCOY,

Consulting Mining Engineer,

1202 Owings Building, Chicago, Ill.

Examinations and Reports on Mining Properties

The Little Alaska Gold Washer

WEIGHT 7½ POUNDS

Positively Saves all the Gold

No Miners, Prospectors or Assayers outfit is complete without it. Requires no experience to work.

Handsome descriptive catalogue mailed free on application,

PRICE \$6.00

204 S. BROADWAY, LOS ANGELES, CAL.



Cut Shows Robins Belt Conveyor
Handling 1100 tons per hour
of Rock and Gravel on

River Dredge

For 1899 catalogue description of system
Write to

Robins Conveying Belt Co.

147 Cedar Street, New York City

GOODSELL'S "98" PUMP PACKING



WAX END SEWED.

Patent Pending

No possibility of Splitting. All imperfect features of Duck packing overcome. Price 75c lb net.

Goodsell Packing Co.,

SOLE MAKERS

33 South Canal Street Chicago, Illinois

SWEEPINGS ★

Metallic Wastes, Dental Scraps,
Photographers' Wastes,
Jewelers' Sweeps, Mill Wastes,
Amalgamated Plates, Old Iron Retorts,
Old Quicksilver bought.

A. M. DONALDSON & CO.,
1661 Larimer St., Denver, Colorado



Become a Member of the

SOUTHERN CALIFORNIA BRANCH

California Miner's Association

To Protect, Develop, and Foster the Mining Industry of the State of California, in all its Branches

Secretary's Office, 420 Stimson Block,

Los Angeles, Calif.



THE NATIONAL IRON WORKS



Riveted Boilers, Tanks, and Sheet Steel or Iron Work of every description.

National Steel Ore Car MANUFACTURER OF THE Repairing of All kinds Promptly Attended to. **PORTLAND, OREGON**

FULTON ENGINE WORKS

Mining, Milling & Smelting Machinery

Estimates Furnished on all Classes of Mining Work

P. O. Box 296, STATION "C" **LOS ANGELES, CALIFORNIA**

Bullock Diamond Drills

15 styles and sizes, Surface and Underground. Hand and Horse Power, Steam, Air and Electricity. We make a specialty of Prospecting by contract.

Bullock Hoisting Machinery

First Motion or Geared. Any style Reverse. Improved Safety Devices. We can fill any requirements.

Bullock Mining Machinery

Rope Haulage Plants Portable Hoists Flat Rope Reel Hoists
Mine Ventilators Write for what you want.

Bullock Quarry Machinery

Rock Drills Air Compressors Quarry Outfits.

M. C. BULLOCK MFG. CO., 1169 West Lake St., Chicago, U.S.A.

Chas. P. Grimwood,

Mining Engineer and Metallurgist

Laboratory, 214 Pine Street, **SAN FRANCISCO, CAL.**

CYANIDE POTASSIUM—99 per cent. pure, Beckton Brand.
CHLORIDE LIME—Best English in Casks and Drums.
ZINC DUST—Best Heavy Quality.
POTASH PERMANGANATE—Pure Quality.
SODA HYPOSULPHITE—Barrels and kegs.

AND ALL OTHER CHEMICALS

Please Apply to: Sohvelkopf, Hartford & MacIsaac, Ltd.,

100 William Street, New York

FOR SALE.

Four Fraser & Chalmers horizontal Boilers in batteries of two, can be seen set up Size of Boilers; 54"x16', 44 3/4" flues, half arch front, include all fittings complete and in first class order; will sell 2 or 4. Price each, \$300.

One 300-H. P. Fraser & Chalmers Corless Engine Cylinder, 24x48", sectional fly wheel, 20'x37". Engine in fine condition. Price \$1,500.

Forty-stamp Mill, 850 lbs. rapid drop, together with timbers, bolts, rods, &c.; also building if wanted. Tuloc automatic ore feeders, screens, jigs (Heads), Frue Vanner tables, &c., fine condition and very cheap. Write or come and see us.

The S. S. Machinery Co., Denver, Colo.

Oilless Bearings



For

Rope Tramways, HOISTING
Engines, Tackle Blocks,
Cam Shafts in STAMP
MILLS. A Practical BEARING that
RUNS WITHOUT OIL.

The Graphite
Lubricating Company
BOUND BROOK, N. J.

Established 1887

MINING MACHINERY.

If you want mining machinery of the first class address the MINING AND METALLURGICAL JOURNAL, stating the purpose to which it is to be applied, and you will be placed in communication with the leading manufacturers of repute. All the latest catalogues of mining machinery are kept constantly on hand.

Stimson Block, Los Angeles, Cal.
150 Nassau St., New York, N. Y.

Horace F. Brown, M. E.

Mechanical Roasting, Cooling and
Conveying of Ores. Automatic
milling plants adapted to
standard processes.

PRESENT ADDRESS, **VICTOR, COLORADO**

B. Sc. Members American Chemical Society

WADE & WADE ASSAYERS


Chemical Analysis, Milling, Concentration and Cyanide Tests

Call and See our Stamp Mill and Frue Vanner

115 1/2 N. MAIN ST., LOS ANGELES, CAL.

FRASER & CHALMERS

{ 133 Fulton Street,
Chicago, Illinois, U. S. A.
{ 43 Threadneedle Street,
E. C., London, England



Mining Machinery

STAMP MILLS
ROCK CRUSHERS
HUNTINGTON MILLS
SMELTING FURNACES
GRAY'S PATENT MINE CHAIRS
CONCENTRATORS
HOISTING ENGINES
ROASTING FURNACES
BALL PULVERIZERS

Exclusive Manufacturers of
**RIEDER PUMPS and
AIR COMPRESSORS**

For
UNITED STATES, CANADA,
MEXICO, SOUTH AMERICA,
ENGLAND, SOUTH AFRICA
AND AUSTRALIA.

The accompanying picture shows the Air Compressor we make

Fraser & Chalmers, GENERAL AGENTS FOR GREEN BLOWERS

JOSHUA HENDY MACHINE WORKS, Nos. 38 to 44 Fremont St. SAN FRANCISCO, CAL.


(Manufacturers of and Dealers in

The Latest Improved

Quartz Milling, Pumping, Hoisting and Smelting
Plants, Air Compressors and Rock Drills.

"HENDY" IMPROVED "TRIPLE-DISCHARGE" TWO-STAMP QUARTZ MILLS
Boilers, Engines & Pumps of all capacities

PLANS, SPECIFICATIONS and ESTIMATES OF COST SUBMITTED and CONTRACTS ENTERED INTO
FOR FURNISHING and ERECTING MINING and MILLING PLANTS for all conditions of Use.



DOUBLE CYLINDER HOISTING ENGINE

BAKER IRON WORKS

LOS ANGELES, CALIFORNIA

Manufacturers of

Mining and Milling Machinery, Atlas Engines and Boilers, Worthington Steam Pumps

Water Works Machinery
A SPECIALTY

LAMBERT HOISTING ENGINES

ELECTRIC HOISTS
BUILT TO GAUGES AND TEMPLATES
500 STYLES AND SIZES

Prospectors and Contractors Engines
Single and double drums with
and without boilers. Mining Engines and Electric Hoists,
with single, double or triple drums.
Friction or reversible.

SEND FOR NEW CATALOGUE R, 140 PAGES.



LAMBERT HOISTING ENGINE CO.

MAIN OFFICE AND WORKS:

117 POINIER ST., NEWARK, N. J.

17 Main St., CAMBRIDGEPORT, MASS.

143 Liberty St., N. Y.



Mining Timbers and Construction Lumber

(California Long Leaf Yellow Pine Lumber)

Prices given for delivery to any point in Mexico by Rail through Porfirio Diaz, Nuevo Laredo or Paso
del Norte, and by Vessel through Gulf Ports of Tampico and Vera Cruz.

Bradley-Ramsay Lumber Co.

LOUISIANA, U. S. A.

ADDRESS INQUIRIES FOR PRICES TO

R. N. WATSON, AGENT.


APARTADO NO. 118 MONTREY, N. L. MEXICO

The Bartlett Concentrating Table

One of these Machines will take
the place of TWO or THREE
Belt Concentrators of any make
and do as good work. Separates
ALL the minerals from each other
at one operation. Gives THREE
CONCENTRATES on the one
Machine at the same operation. The
Machine is especially adapted to
the separation of Zinc and Lead.
Size of machine 4 ft. by 8 ft., Weight 1000
lbs., Capacity 10 to 30 tons per 24 hours.

Can be set up anywhere.
Requires no Special Foundation.

Licensee for the
Manufacture and Sale



PARKE & LACY COMPANY,

Three Classes of Machines are made

Table A is adapted to concentration from 3
into 1 to 8 into 1. Table B, 6 into 1 to 16 into
1. Table C, 12 into 1 to 32 into 1.

Parties desiring tests made can send 500
lbs. or more, charges prepaid, and a run will
be made and reports forwarded of the results
free of all charges, except for the assays
which will not exceed \$10.00.

Price of 9½ ft. Table \$300 Complete,
12-foot Table \$350,
f. o. b. Cars, San Francisco, Cal.

Los Angeles, Cal. Office,

306 Byrne Bldg.

W. H. Miller, Representative

21 and 23 Fremont Street
SAN FRANCISCO, CAL.